


FARO HORIZONTAL

INSTALLATION

dimensions in mm



Type	height (B)	length (C)	4x	6x
20/21/22	400-600	<2000	x	
		≥2000		x
20/21/22	750-900	<1600	x	
		≥1600		x
33	400	<2000	x	
		≥2000		x
33	600-900	<1600	x	
		≥1600		x

FARO HORIZONTAL

Horizontal decorative radiator with a sectioned front and unique slightly curved sides. This horizontal model is provided with an adapted top cover finish that emphasises its unique design.

- Accessories included in the package and the price :
2 brackets, screws and plugs.
- The thermostatic (Kv-adjustable) valve-body is factory-fitted on the right, the airvent on the left.
- Connections : 2 x diameter ½" (15/21) - bottom right.
- Installation : radiator without welded mounting brackets but with concealed consoles.
- Colours : prices are based on white RAL 9016. Other RAL and special colours are available upon request with a 25% supplement.

Accessories: Valve sets



Twin entry valve straight
Code: VS
Price: **£18.21**



Twin entry valve angled
Code: VSE
Price: **£19.57**

The above valves must be ordered with the following:



Nut & olive pack
(2 nuts and 2 olives per set)
Code: V15P
Price: **£6.15**



Adaptor
(2 required per valve set)
Code: ADAPTOR
Price: **£1.16** (each)

TRV heads must also be ordered separately.

volume : l/m


type	400	600	750	900
20	4.44	6.67	8.00	9.33
21	4.76	6.95	8.67	10.38
22	4.76	6.95	8.67	10.38
33	6.73	10.10	11.27	12.44

weight : kg/m

type	400	600	750	900
20	22.83	32.50	40.19	47.89
21	26.48	37.43	46.67	56.29
22	29.24	42.67	53.52	64.38
33	42.70	62.38	77.19	92.00

Prices exclude VAT

TECHNICAL PRICE LIST
01/02/2019



narrow assembly
X1 = 24 mm

wide assembly
X2 = 39.5 mm

type 20

a : 141 mm
b : 84 mm
c : 30 mm

type 20

a : 157 mm
b : 100 mm
c : 46 mm

type 21

a : 141 mm
b : 84 mm
c : 30 mm

type 21

a : 157 mm
b : 100 mm
c : 46 mm

type 22

a : 141 mm
b : 84 mm
c : 30 mm

type 22

a : 157 mm
b : 100 mm
c : 46 mm

type 33


a : 206 mm
b : 84 mm
c : 30 mm

type 33

a : 222 mm
b : 100 mm
c : 46 mm

CONNECTION OPTIONS

- Left connection available on request.
- Other connections are not possible.



FARO HORIZONTAL

type 20

ORDER CODE: FAH20XXXXYYYYZ

EXAMPLE: FAH206001200L


radiator

type

height

length

Z = L : left conn. • R : right conn.



length		height			
		400	600	750	900
450	75/65/20 Watt	306	428	512	590
	55/45/20 Watt	158	223	266	306
	£	271.30	301.84	322.18	338.48
600	75/65/20 Watt	407	571	683	786
	55/45/20 Watt	211	297	355	408
	£	288.28	326.95	345.17	368.51
750	75/65/20 Watt	509	713	854	983
	55/45/20 Watt	264	371	444	510
	£	304.86	346.42	375.17	400.25
900	75/65/20 Watt	611	856	1024	1179
	55/45/20 Watt	317	445	532	612
	£	328.00	370.86	402.85	436.60
1050	75/65/20 Watt	713	999	1195	1376
	55/45/20 Watt	369	519	621	714
	£	350.06	399.45	430.27	474.42
1200	75/65/20 Watt	815	1141	1366	1572
	55/45/20 Watt	422	593	710	817
	£	363.09	421.75	466.13	506.31
1350	75/65/20 Watt	917	1284	1536	1769
	55/45/20 Watt	475	668	798	919
	£	385.11	451.08	494.35	535.97
1500	75/65/20 Watt	1019	1427	1707	1965
	55/45/20 Watt	528	742	887	1021
	£	412.89	481.05	530.65	573.43
1650	75/65/20 Watt	1120	1569		
	55/45/20 Watt	581	816		
	£	432.63	502.49		
1800	75/65/20 Watt	1222	1712		
	55/45/20 Watt	633	890		
	£	451.59	520.75		
1950	75/65/20 Watt	1324	1854		
	55/45/20 Watt	686	964		
	£	472.62	544.98		

value n	1.2870	1.2801	1.2812	1.2823
---------	--------	--------	--------	--------


according EN 442 - 75/65/20 °C (ΔT 50) and 55/45/20 °C (ΔT 30)

To calculate from Watts to BTU's multiply by 3.412 (1000 watts x 3.412 = 3,412 btu's).

Prices exclude VAT

FARO HORIZONTAL

type 21



ORDER CODE: FAH21XXXXYYYYZ

EXAMPLE: FAH216001200L

radiator

type

height

length

Z = L : left conn. • R : right conn.

length		height			
		400	600	750	900
450	75/65/20 Watt	445	602	701	802
	55/45/20 Watt	226	305	353	404
	£	339.13	377.29	402.71	423.10
600	75/65/20 Watt	593	802	934	1070
	55/45/20 Watt	301	406	470	538
	£	360.35	408.66	431.46	460.62
750	75/65/20 Watt	742	1003	1168	1337
	55/45/20 Watt	377	508	588	673
	£	381.06	433.00	468.96	500.29
900	75/65/20 Watt	890	1203	1401	1605
	55/45/20 Watt	452	610	706	808
	£	409.97	463.58	503.57	545.74
1050	75/65/20 Watt	1038	1404	1635	1872
	55/45/20 Watt	527	711	823	942
	£	437.56	499.31	537.83	593.02
1200	75/65/20 Watt	1187	1604	1868	2140
	55/45/20 Watt	603	813	941	1077
	£	453.85	527.17	582.66	632.90
1350	75/65/20 Watt	1335	1805	2102	2407
	55/45/20 Watt	678	914	1058	1211
	£	481.35	563.85	617.96	669.93
1500	75/65/20 Watt	1484	2006	2336	2675
	55/45/20 Watt	754	1016	1176	1346
	£	516.11	601.29	663.30	716.77
1650	75/65/20 Watt	1632	2206		
	55/45/20 Watt	829	1118		
	£	540.79	628.11		
1800	75/65/20 Watt	1780	2407		
	55/45/20 Watt	904	1219		
	£	564.47	650.92		
1950	75/65/20 Watt	1929	2607		
	55/45/20 Watt	980	1321		
	£	590.77	681.20		

value n	1.3261	1.3311	1.3433	1.3440
---------	--------	--------	--------	--------

according EN 442 - 75/65/20 °C (ΔT 50) and 55/45/20 °C (ΔT 30)

To calculate from Watts to BTU's multiply by 3.412 (1000 watts x 3.412 = 3,412 btu's).

stocked item

Prices exclude VAT


FARO HORIZONTAL

type 22

ORDER CODE: FAH22XXXXYYZZ
EXAMPLE: FAH226001200L

radiator _____
type _____
height _____
length _____

Z = L : left conn. • R : right conn. _____



length		height			
		400	600	750	900
450	75/65/20 Watt	573	764	922	1014
	55/45/20 Watt	290	381	460	499
	£	345.69	388.67	416.87	441.93
600	75/65/20 Watt	764	1018	1229	1352
	55/45/20 Watt	387	507	613	665
	£	370.23	421.75	449.36	483.28
750	75/65/20 Watt	955	1273	1536	1690
	55/45/20 Watt	484	634	767	831
	£	391.86	450.29	489.20	528.32
900	75/65/20 Watt	1146	1527	1843	2028
	55/45/20 Watt	581	761	920	997
	£	422.99	484.39	529.29	577.29
1050	75/65/20 Watt	1337	1782	2150	2366
	55/45/20 Watt	677	888	1073	1163
	£	452.96	523.77	568.01	629.81
1200	75/65/20 Watt	1528	2036	2458	2704
	55/45/20 Watt	774	1015	1226	1329
	£	471.61	555.20	617.17	675.21
1350	75/65/20 Watt	1719	2291	2765	3042
	55/45/20 Watt	871	1142	1380	1496
	£	501.31	595.57	657.01	717.69
1500	75/65/20 Watt	1910	2546	3072	3380
	55/45/20 Watt	968	1268	1533	1662
	£	538.36	636.63	706.78	769.92
1650	75/65/20 Watt	2100	2800		
	55/45/20 Watt	1065	1395		
	£	565.37	667.07		
1800	75/65/20 Watt	2291	3055		
	55/45/20 Watt	1161	1522		
	£	591.35	693.46		
1950	75/65/20 Watt	2482	3309		
	55/45/20 Watt	1258	1649		
	£	619.88	727.37		

value n	1.3318	1.3635	1.3607	1.3897
---------	--------	--------	--------	--------

according EN 442 - 75/65/20 °C (ΔT 50) and 55/45/20 °C (ΔT 30)


To calculate from Watts to BTU's multiply by 3.412 (1000 watts x 3.412 = 3,412 btu's).

 stocked item

Prices exclude VAT

FARO HORIZONTAL

type 33



ORDER CODE: FAH33XXXXYYZZ
EXAMPLE: FAH336001200L

radiator _____
type _____
height _____
length _____

Z = L : left conn. • R : right conn. _____

length		height			
		400	600	750	900
450	75/65/20 Watt	803	1114	1309	1471
	55/45/20 Watt	409	558	652	728
	£	406.70	457.28	490.42	519.93
600	75/65/20 Watt	1070	1485	1745	1961
	55/45/20 Watt	545	744	869	971
	£	435.57	496.18	528.66	568.58
750	75/65/20 Watt	1338	1856	2181	2451
	55/45/20 Watt	681	930	1086	1214
	£	461.01	529.77	575.54	621.57
900	75/65/20 Watt	1606	2228	2617	2941
	55/45/20 Watt	817	1115	1303	1456
	£	497.67	569.87	622.71	679.16
1050	75/65/20 Watt	1873	2599	3053	3431
	55/45/20 Watt	953	1301	1520	1699
	£	532.92	616.23	668.26	740.96
1200	75/65/20 Watt	2141	2970	3490	3922
	55/45/20 Watt	1090	1487	1738	1942
	£	554.83	653.18	726.09	794.39
1350	75/65/20 Watt	2408	3341	3926	4412
	55/45/20 Watt	1226	1673	1955	2185
	£	589.80	700.69	772.95	844.34
1500	75/65/20 Watt	2676	3713	4362	4902
	55/45/20 Watt	1362	1859	2172	2427
	£	633.37	748.99	831.53	905.79
1650	75/65/20 Watt	2944	4084		
	55/45/20 Watt	1498	2045		
	£	665.15	784.80		
1800	75/65/20 Watt	3211	4455		
	55/45/20 Watt	1634	2231		
	£	695.71	815.85		
1950	75/65/20 Watt	3479	4826		
	55/45/20 Watt	1771	2417		
	£	729.29	855.73		

value n	1.3222	1.3539	1.3649	1.3758
---------	--------	--------	--------	--------

according EN 442 - 75/65/20 °C (ΔT 50) and 55/45/20 °C (ΔT 30)

To calculate from Watts to BTU's multiply by 3.412 (1000 watts x 3.412 = 3,412 btu's).

Prices exclude VAT