




Purmo product range

GB Catalogue

July 2022







Europe's leader in sustainable indoor climate comfort solutions

We manufacture and distribute globally from over **20** locations to customers in **50+** countries.

Comfort delivered is our promise to all our stakeholders. It is all about our dedication and our ability to deliver. About listening and responding to the needs of our personnel, our customers and end-users.

Purmo Group delivers comfort by doing things smarter, by always moving forward and by staying ahead of the competition.

We deliver comfort by:

- Enabling our people to flourish, ensuring their safety at all times
- Designing inspiring products that are accessible to the many
- Always placing our customers at the centre
- Keeping an eye on the future to ensure the sustainability of our business

We are Purmo Group – Comfort delivered.

A person is lying on their back on a light-colored rug in a room. A large window in the background shows greenery outside. A colorful geometric graphic, consisting of a yellow and green shape, is overlaid on the right side of the image. The text "Our promise" is in the top left, "Comfort delivered" is in the top center, and "Comfort" is in the bottom center.

Our promise

Comfort delivered

The indoors. The place where we spend so much time – learning, sleeping, relaxing, sharing. It's where we live. That's why a healthy and comfortable indoor climate is so important. But in a world facing climate challenges, unprecedented population growth and a need to use resources better, ensuring sustainability is paramount.

Committed to innovation, we take a system and solution approach to delivering optimal heating offers the highest levels of comfort and energy efficiency. With our complete range and expert knowledge, we can help you find exactly the right solution. So, let's work together and create innovative solutions that will meet tomorrow's indoor climate challenges today. Let's advance indoor climates as we know them.

Let's create the great indoors.

Comfort



delivered by ...



Our trade brand house

Our commercial brand house is an overview of our vision and customer promise. The four brand pillars demonstrate how we plan to achieve this and define the change we want to drive.



Improve efficiency

**Optimising
energy
efficiency**
through
system
accuracy




Better integration

Let's
**integrate
solutions**
in innovative
systems
for better
performance



Work smarter

Let's work
together
and **work
smarter**



Reduce footprint

Let's focus
on the full
product life
cycle and
**reduce
impact on
our climate**





CONTENTS


Add a little colour to your life 9

COMPACT	10	FORZA	46
LST	16	PLAZA	50
COMPLA HORIZONTAL	20	FLORES	54
COMPLA VERTICAL	24	PEARL	58
LIGNA HORIZONTAL	28	TOPAZ	62
LIGNA VERTICAL	32	CRYSTAL	66
SLIEVE	36	ADRIANA	68
ADAGIO	42	UNDERFLOOR	72

Accessories	70
Underfloor Accessories	77
General specification	79

Add a little colour to your life

A little bit of colour can magically brighten up a room and what better way to complement an interior decor than with a colourful radiator? We offer an extensive range of colours for our Slieve, Adagio, Forza, Plaza, Topaz and Pearl ranges and deliver within 6-8 weeks of ordering.



Colours for style and choice

Selected to complement the stylish design of our radiators, our colours reflect the beauty of contemporary trends like a breath of warm air.

From our sleek Champagne to our shimmering Matt Charcoal, our colours are extraordinary.

Coloured radiators held in stock

We understand that sometimes time is of the essence.

To help you, we stock a selection of the most popular sizes and colours.

For stocked colour pricing, please refer the product pages.

Slieve Vertical					
Type	Height (mm)	Width (mm)	Watts	Product Code	Colour
Single Panel V10	1800	433	906	QV1013RGM	Gun Metal
				QV1013RMCH	Matt Charcoal
				QV1013RAN	Anthracite
		578	1178	QV1014RGM	Gun Metal
				QV1014RMCH	Matt Charcoal
				QV1014RAN	Anthracite
Double Panel V20	1800	433	1394	QV2036RGM	Gun Metal
				QV2036RMCH	Matt Charcoal
				QV2036RAN	Anthracite
		505	1603	QV2012RGM	Gun Metal
				QV2012RMCH	Matt Charcoal
				QV2012RAN	Anthracite
		578	1811	QV2013RGM	Gun Metal
				QV2013RMCH	Matt Charcoal
				QV2013RAN	Anthracite

Adagio 70 - Vertical					
Type	Height (mm)	Width (mm)	Watts	Product Code	Colour
Single S70	1800	400	1180	QS7021RGM	Gun Metal
				QS7021RMCH	Matt Charcoal
				QS7021RAN	Anthracite
		520	1534	QS7023RGM	Gun Metal
				QS7023RMCH	Matt Charcoal
				QS7023RAN	Anthracite
		600	1770	QS7022RGM	Gun Metal
				QS7022RMCH	Matt Charcoal
				QS7022RAN	Anthracite

COMPACT

The Purmo Compact radiator is a stylish, elegant and practical radiator, perfect for domestic or commercial applications. With a 33mm profile and convector fins, it ensures a leading performance, even when installed on low temperature systems.

The product range includes type 11, type 21S, type 22 and type 33. With a wide range of heights and lengths available from stock, it truly is a perfect fit for any room size.

- Available in four heights **300mm, 450mm, 600mm and 700mm**
- Available in lengths from **400mm to 2300mm**
- Available as single panel, single convector (T11), double panel, single convector (T21S), double panel, double convector (T22) and Triple panel convector (T33)

Features

- Durable powder coated in white RAL 9016 paint for a brighter, whiter finish
- Full 10-year warranty
- Manufactured and tested to BS EN 442



Compact in white



Accessories



1. Universal floor fixing bracket for all types - refer to page 15 for technical information
Code: RH033

Price:

£40.78 (excl. VAT) (single piece)

£48.94 (incl. VAT) (single piece)

2. Compact towel bar



Length	Product Code	List Price (excl. VAT)	List Price (incl. VAT)
450mm	589450	£37.60	£45.12
500mm	589500	£37.60	£45.12
600mm	589600	£37.60	£45.12
750mm	589750	£37.60	£45.12
900mm	589900	£38.83	£46.60
1050mm	5891050	£38.84	£46.61



3. Radiator pack

TRV and Lockshield.
Code: 2TRVPURPK

Price:

£26.17 (excl. VAT)

£31.40 (incl. VAT)



Compact in white

Compact (T11) - Single Panel Single Convector							
Product Code	Height (mm)	Width (mm)	Watts	BTU/Hr	Weight (kgs)	List Price (Excl. VAT)	List Price (Inc. VAT)
C11 300 0600	300	600	328	1119	5.40	£379.20	£455.04
C11 300 0800		800	437	1491	7.20	£400.25	£480.30
C11 300 1000		1000	546	1863	9.00	£420.42	£504.50
C11 300 1200		1200	655	2236	10.80	£504.50	£605.40
C11 300 1600		1600	874	2982	14.40	£679.31	£815.17
C11 300 2000		2000	1092	3726	18.00	£801.75	£962.10
C11 450 0400	450	400	316	1078	5.48	£166.55	£199.86
C11 450 0500		500	395	1348	6.85	£208.24	£249.89
C11 450 0600		600	474	1617	8.22	£249.86	£299.83
C11 450 0700		700	553	1887	9.59	£291.64	£349.97
C11 450 0800		800	632	2156	10.96	£333.31	£399.97
C11 450 0900		900	711	2426	12.33	£374.90	£449.88
C11 450 1000		1000	790	2695	13.70	£416.58	£499.90
C11 450 1100		1100	869	2965	15.07	£458.25	£549.90
C11 450 1200		1200	948	3235	16.44	£499.87	£599.84
C11 450 1300		1300	1027	3504	17.81	£560.46	£672.55
C11 450 1400		1400	1106	3774	19.18	£603.49	£724.19
C11 450 1600		1600	1264	4313	21.92	£798.63	£958.36
C11 450 1800		1800	1422	4852	24.66	£898.41	£1,078.09
C11 450 2000		2000	1580	5391	27.40	£1,034.71	£1,241.65
C11 450 2300		2300	1817	6200	31.51	£1,189.82	£1,427.78
C11 600 0400	600	400	407	1389	7.28	£215.49	£258.59
C11 600 0500		500	509	1737	9.10	£269.31	£323.17
C11 600 0600		600	611	2085	10.92	£323.08	£387.70
C11 600 0700		700	713	2433	12.74	£376.94	£452.33
C11 600 0800		800	814	2777	14.56	£430.61	£516.73
C11 600 0900		900	916	3125	16.38	£484.48	£581.38
C11 600 1000		1000	1018	3473	18.20	£538.33	£646.00
C11 600 1100		1100	1120	3821	20.02	£592.14	£710.57
C11 600 1200		1200	1222	4169	21.84	£645.95	£775.14
C11 600 1300		1300	1304	4449	23.66	£699.83	£839.80
C11 600 1400		1400	1425	4862	25.48	£753.68	£904.42
C11 600 1600		1600	1629	5558	29.12	£996.18	£1,195.42
C11 600 1800		1800	1832	6251	32.76	£1,119.83	£1,343.80
C11 600 2000		2000	2036	6947	36.40	£1,338.10	£1,605.72
C11 600 2300		2300	2342	7991	41.86	£1,538.90	£1,846.68
C11 700 0400	700	400	464	1583	8.56	£248.72	£298.46
C11 700 0500		500	581	1982	10.70	£310.99	£373.19
C11 700 0600		600	697	2378	12.84	£373.04	£447.65
C11 700 0700		700	813	2774	14.98	£435.28	£522.34
C11 700 0800		800	929	3170	17.12	£497.48	£596.98
C11 700 0900		900	1045	3566	19.26	£593.65	£712.38
C11 700 1000		1000	1161	3961	21.40	£659.64	£791.57
C11 700 1100		1100	1277	4357	23.54	£725.45	£870.54
C11 700 1200		1200	1393	4753	25.68	£791.51	£949.81
C11 700 1300		1300	1509	5149	27.82	£857.44	£1,028.93
C11 700 1400		1400	1625	5545	29.96	£1,036.52	£1,243.82
C11 700 1600		1600	1858	6339	34.24	£1,184.51	£1,421.41
C11 700 1800		1800	2090	7131	38.52	£1,332.59	£1,599.11
C11 700 2000		2000	2322	7923	42.80	£1,480.68	£1,776.82

Compact Horizontal (T21) - Double Panel Single Convactor							
Product Code	Height (mm)	Width (mm)	Watts	BTU/Hr	Weight (kgs)	List Price (Excl. VAT)	List Price (Inc. VAT)
C21S 450 0400	450	400	424	1447	8.80	£265.22	£318.26
C21S 450 0500		500	530	1808	11.00	£319.70	£383.64
C21S 450 0600		600	636	2170	13.20	£368.83	£442.60
C21S 450 0700		700	742	2532	15.40	£413.69	£496.43
C21S 450 0800		800	843	2876	17.60	£472.60	£567.12
C21S 450 0900		900	954	3255	19.80	£531.89	£638.27
C21S 450 1000		1000	1060	3617	22.00	£591.18	£709.42
C21S 450 1100		1100	1166	3978	24.20	£650.00	£780.00
C21S 450 1200		1200	1272	4340	26.40	£709.30	£851.16
C21S 450 1300		1300	1378	4702	28.60	£768.16	£921.79
C21S 450 1400		1400	1484	5063	30.80	£827.47	£992.96
C21S 450 1600		1600	1696	5787	35.20	£1,022.80	£1,227.36
C21S 450 1800		1800	1908	6510	39.60	£1,150.62	£1,380.74
C21S 450 2000		2000	2120	7233	44.00	£1,278.29	£1,533.95
C21S 450 2300		2300	2544	8680	50.60	£1,470.25	£1,764.30

Heat output shown at ΔT 50°C
Product codes in bold are available from stock.


Compact Horizontal (T21) - Double Panel Single Convector							
Product Code	Height (mm)	Width (mm)	Watts	BTU/Hr	Weight (kgs)	List Price (Excl. VAT)	List Price (Inc. VAT)
C21S 600 0400	600	400	536	1829	11.68	£323.69	£388.43
C21S 600 0500		500	670	2286	14.60	£404.75	£485.70
C21S 600 0600		600	804	2743	17.52	£449.14	£538.97
C21S 600 0700		700	938	3200	20.44	£523.56	£628.27
C21S 600 0800		800	1072	3658	23.36	£598.59	£718.31
C21S 600 0900		900	1206	4115	26.28	£673.47	£808.16
C21S 600 1000		1000	1340	4572	29.20	£748.37	£898.04
C21S 600 1100		1100	1474	5029	32.12	£822.86	£987.43
C21S 600 1200		1200	1608	5486	35.04	£897.80	£1,077.36
C21S 600 1300		1300	1742	5944	37.96	£972.71	£1,167.25
C21S 600 1400		1400	1876	6401	40.88	£1,047.63	£1,257.16
C21S 600 1600		1600	2144	7315	46.72	£1,294.76	£1,553.71
C21S 600 1800		1800	2412	8230	52.56	£1,456.81	£1,748.17
C21S 600 2000		2000	2680	9144	58.40	£1,657.13	£1,988.56
C21S 600 2300		2300	3082	10516	67.16	£1,861.55	£2,233.86
Compact Horizontal (T22) - Double Panel Double Convector							
Product Code	Height (mm)	Width (mm)	Watts	BTU/Hr	Weight (kgs)	List Price (Excl. VAT)	List Price (Inc. VAT)
C22 300 0600	300	600	577	1969	10.32	£566.12	£679.34
C22 300 0800		800	769	2624	13.76	£660.57	£792.68
C22 300 1000		1000	961	3279	17.20	£825.71	£990.85
C22 300 1200		1200	1153	3936	20.64	£990.86	£1,189.03
C22 300 1600		1600	1538	5248	27.52	£1,289.78	£1,547.74
C22 300 2000		2000	1922	6558	34.40	£1,608.02	£1,929.62
C22 450 0400	450	400	539	1839	10.16	£296.07	£355.28
C22 450 0500		500	674	2300	12.70	£370.04	£444.05
C22 450 0600		600	808	2757	15.24	£444.04	£532.85
C22 450 0700		700	943	3218	17.78	£518.15	£621.78
C22 450 0800		800	1078	3678	20.32	£591.99	£710.39
C22 450 0900		900	1212	4135	22.86	£666.10	£799.32
C22 450 1000		1000	1347	4596	25.40	£740.13	£888.16
C22 450 1100		1100	1482	5057	27.94	£813.98	£976.78
C22 450 1200		1200	1616	5514	30.48	£906.80	£1,088.16
C22 450 1300		1300	1750	5971	33.02	£982.40	£1,178.88
C22 450 1400		1400	1886	6435	35.56	£1,057.94	£1,269.53
C22 450 1600		1600	2155	7353	40.64	£1,346.21	£1,615.45
C22 450 1800		1800	2425	8274	45.72	£1,570.57	£1,884.68
C22 450 2000		2000	2694	9192	50.80	£1,745.12	£2,094.14
C22 450 2300		2300	3097	10567	58.42	£2,006.93	£2,408.32
C22 600 0400	600	400	684	2334	13.60	£368.75	£442.50
C22 600 0500		500	855	2917	17.00	£461.15	£553.38
C22 600 0600		600	1025	3497	20.40	£553.34	£664.01
C22 600 0700		700	1196	4081	23.80	£645.49	£774.59
C22 600 0800		800	1367	4664	27.20	£737.73	£885.28
C22 600 0900		900	1538	5248	30.60	£829.86	£995.83
C22 600 1000		1000	1709	5831	34.00	£922.14	£1,106.57
C22 600 1100		1100	1880	6415	37.40	£1,014.25	£1,217.10
C22 600 1200		1200	2051	6998	40.80	£1,106.50	£1,327.80
C22 600 1300		1300	2222	7581	44.20	£1,198.64	£1,438.37
C22 600 1400		1400	2393	8166	47.60	£1,290.88	£1,549.06
C22 600 1600		1600	2734	9328	54.40	£1,706.04	£2,047.25
C22 600 1800		1800	3076	10495	61.20	£1,919.13	£2,302.96
C22 600 2000		2000	3418	11662	68.00	£2,290.41	£2,748.49
C22 600 2300		2300	3931	13413	78.20	£2,633.89	£3,160.67
C22 700 0400	700	400	777	2651	16.00	£423.99	£508.79
C22 700 0500		500	971	3313	20.00	£530.04	£636.05
C22 700 0600		600	1165	3975	24.00	£636.01	£763.21
C22 700 0700		700	1359	4637	28.00	£762.56	£915.07
C22 700 0800		800	1554	5302	32.00	£871.49	£1,045.79
C22 700 0900		900	1748	5964	36.00	£1,020.88	£1,225.06
C22 700 1000		1000	1942	6626	40.00	£1,134.39	£1,361.27
C22 700 1100		1100	2136	7288	44.00	£1,247.81	£1,497.37
C22 700 1200		1200	2330	7950	48.00	£1,361.21	£1,633.45
C22 700 1300		1300	2524	8612	52.00	£1,474.82	£1,769.78
C22 700 1400		1400	2719	9277	56.00	£1,859.04	£2,230.85
C22 700 1600		1600	3107	10601	64.00	£2,119.07	£2,542.88
C22 700 1800		1800	3498	11935	72.00	£2,398.74	£2,878.49
C22 700 2000		2000	3884	13256	80.00	£2,661.15	£3,193.38

Heat output shown at ΔT 50°C
Product codes in bold are available from stock.


Compact (T33) - Triple Panel Convector							
Product Code	Height (mm)	Width (mm)	Watts	BTU/Hr	Weight (kgs)	List Price (Excl. VAT)	List Price (Inc. VAT)
C33 300 1000	300	1000	1347	4597	24.90	£952.43	£1,142.92
C33 300 1200		1200	1616	5517	29.88	£1,088.81	£1,306.57
C33 300 1400		1400	1886	6436	34.86	£1,224.04	£1,468.85
C33 300 1800		1800	2425	8275	44.82	£1,524.76	£1,829.71
C33 300 2000		2000	2694	9195	49.80	£1,672.87	£2,007.44
C33 450 0800	450	800	1359	4639	29.52	£994.97	£1,193.96
C33 450 1000		1000	1699	5799	36.90	£1,181.82	£1,418.18
C33 450 1200		1200	2039	6958	44.28	£1,369.39	£1,643.27
C33 450 1400		1400	2379	8118	51.66	£1,553.26	£1,863.91
C33 450 1800		1800	3058	10438	66.42	£1,956.18	£2,347.42
C33 450 2000		2000	3398	11597	73.80	£2,144.50	£2,573.40
C33 600 0400	600	400	942	3216	20.04	£773.16	£927.79
C33 600 0600		600	1414	4825	30.06	£1,007.14	£1,208.57
C33 600 0800		800	1885	6433	40.08	£1,248.67	£1,498.40
C33 600 1000		1000	2356	8041	50.10	£1,499.31	£1,799.17
C33 600 1200		1200	2827	9649	60.12	£1,746.18	£2,095.42
C33 600 1400		1400	3298	11257	70.14	£1,997.92	£2,397.50
C33 600 1800		1800	4241	14474	90.18	£2,520.90	£3,025.08
C33 600 2000		2000	4712	16082	100.20	£2,774.21	£3,329.05
C33 900 1000	900	1000	3260	11126	75.80	£2,293.03	£2,751.64
C33 900 1200		1200	3912	13352	90.96	£2,677.36	£3,212.83
C33 900 1400		1400	4564	15577	106.12	£3,068.53	£3,682.24

Heat output shown at ΔT 50°C
Product codes in bold are available from stock.

Side View



Top View




Dimensions based on using the short leg on types 11 and 33 and the long leg on types 21S and 22.

Installation


types 21S, 22, 33

type 11




Brackets

wall bracket types 11 & 33



floor bracket all types



RH033

Radiator to wall distance: Any

Maximum load of a single bracket:

Vertically - 180kg



Pulling - 35kg

£40.78 (per piece excl. VAT)

£48.94 (per piece incl. VAT)

note: the plastic security clip is not used for type 11 products.

wall bracket types 21S & 22



wall bracket
height - 900 mm

HEIGHT 300 - 600mm


Radiator Length (mm)	Quantity of floor brackets
400 - 1800	2
2000 - 2300	3

HEIGHT 700 - 900mm

Radiator Length (mm)	Quantity of floor brackets
300 - 1200	2
1400 - 2000	3

Connection Options

NA = 50mm less than overall height



Suitable for Bottom Opposite End (BOE), Top Bottom Same End (TBSE) and Top Bottom Opposite Ends (TBOE). 4 x 1/2" BSP tappings.

All Compact radiators:

Test Pressure 10.5 bar.

Max operating pressure 8 bar.

LST

The Purmo LST Radiator consists of a panel radiator and a highly durable anti bacterial powder coated outer casing, manufactured from 1.2mm steel. The outer casing prevents contact with the hot surface of the radiator and also covers pipework. Surface temperatures are below 43°C with water inlet temperatures up to 82°C in accordance with NHS Estates Guidance Note 'Safe Hot Water and Surface Temperatures, 1998'. The robust outer casing can easily be removed to allow access for regular cleaning, maintenance and decorating.

The Purmo LST Radiator is particularly favoured for installation in nurseries, hospitals, nursing homes, sheltered housing and high-risk areas in the home.

- Available in three heights **572mm, 672mm and 872mm**
- Available in lengths from **420mm to 2000mm**
- Available as single panel, single convector (T11) and double panel, double convector (T22)

Features

- Durable powder coated in white RAL 9016 paint for a brighter, whiter finish
- Full 10-year warranty for both the casing and radiator
- Manufactured and tested to BS EN 442





LST in white

LST (T11) - Single Panel Single Convector							
Product Code	Height (mm)	Width (mm)	Watts	BTU/Hr	Weight (kgs)	List Price (Excl. VAT)	List Price (Inc. VAT)
LST11 572 0800	572	800	277	946	12.18	£500.95	£601.14
LST11 572 1000		1000	370	1261	15.22	£515.23	£618.28
LST11 572 1200		1200	462	1576	18.26	£596.39	£715.67
LST11 572 1600		1600	647	2207	24.35	£701.31	£841.57
LST11 572 2000		2000	832	2837	30.44	£858.76	£1,030.51
LST11 672 0420	672	420	182	621	7.90	£391.40	£469.68
LST11 672 0600		600	243	830	11.28	£435.22	£522.26
LST11 672 0800		800	365	1245	15.04	£502.89	£603.47
LST11 672 1000		1000	486	1660	18.80	£571.97	£686.36
LST11 672 1200		1200	608	2074	22.56	£574.67	£689.60
LST11 672 1400		1400	730	2489	26.32	£633.32	£759.98
LST11 672 1600		1600	851	2904	30.08	£674.17	£809.00
LST11 672 1800		1800	973	3319	33.84	£695.64	£834.77
LST11 672 2000		2000	1094	3734	37.60	£727.08	£872.50
LST11 872 0420	872	420	265	904	11.13	£484.27	£581.12
LST11 872 0600		600	353	1205	15.90	£534.44	£641.33
LST11 872 0800		800	530	1808	21.20	£587.32	£704.78
LST11 872 1000		1000	706	2410	26.50	£616.38	£739.66
LST11 872 1200		1200	883	3013	31.80	£658.78	£790.54
LST11 872 1400		1400	1060	3615	37.10	£736.83	£884.20
LST11 872 1600		1600	1236	4218	42.40	£779.08	£934.90
LST11 872 1800		1800	1413	4820	47.70	£826.01	£991.21
LST11 872 2000		2000	1589	5423	53.00	£961.68	£1,154.02


LST (T22) - Double Panel Double Convactor							
Product Code	Height (mm)	Width (mm)	Watts	BTU/Hr	Weight (kgs)	List Price (Excl. VAT)	List Price (Inc. VAT)
LST22 572 0800	572	800	545	1861	18.16	£817.66	£981.19
LST22 572 1000		1000	727	2481	22.70	£832.47	£998.96
LST22 572 1200		1200	909	3102	27.24	£883.60	£1,060.32
LST22 572 1600		1600	1273	4342	36.32	£1,017.46	£1,220.95
LST22 572 2000		2000	1636	5583	45.40	£1,226.44	£1,471.73
LST22 672 0420	672	420	351	1198	11.94	£404.96	£485.95
LST22 672 0600		600	468	1597	17.06	£504.70	£605.64
LST22 672 0800		800	702	2395	22.75	£687.20	£824.64
LST22 672 1000		1000	936	3194	28.44	£802.03	£962.44
LST22 672 1200		1200	1170	3992	34.13	£845.19	£1,014.23
LST22 672 1400		1400	1404	4790	39.82	£962.80	£1,155.36
LST22 672 1600		1600	1638	5589	45.50	£1,059.19	£1,271.03
LST22 672 1800		1800	1872	6387	51.19	£1,099.95	£1,319.94
LST22 672 2000		2000	2106	7186	56.88	£1,237.58	£1,485.10
LST22 872 0420	872	420	494	1686	17.10	£540.58	£648.70
LST22 872 0600		600	659	2249	24.43	£638.46	£766.15
LST22 872 0800		800	989	3374	32.58	£862.41	£1,034.89
LST22 872 1000		1000	1318	4498	40.72	£893.87	£1,072.64
LST22 872 1200		1200	1648	5623	48.86	£1,037.84	£1,245.41
LST22 872 1400		1400	1978	6748	57.01	£1,149.90	£1,379.88
LST22 872 1600		1600	2307	7872	65.15	£1,229.33	£1,475.20
LST22 872 1800		1800	2637	8997	73.30	£1,405.24	£1,686.29
LST22 872 2000		2000	2966	10121	81.44	£1,436.85	£1,724.22

ACCESSORIES			
Product Code	Description	List Price (Excl. VAT)	List Price (Inc. VAT)
UNICCKTCP	Close Coupled Thermostatic Radiator Valve - Universal Kit	£108.10	£129.72
DIRECTFIT	Direct Fit TRV Kit (Cannot be used with 420mm wide radiator)	£61.18	£73.42
TRVRSHEAD2*	2m Remote Sensor - suitable for BOE connections only	£54.60	£65.52
TRVRSHEAD5*	5m Remote Sensor - suitable for BOE connections only	£68.13	£81.76
TRVADJHEAD2*	2m Remote Adjuster - suitable for both TBOE and BOE connections	£82.92	£99.50
TRVADJHEAD5*	5m Remote Adjuster - suitable for both TBOE and BOE connections	£96.55	£115.86
TRV COLLAR	TRV Collar	£6.64	£7.97
TRV RING	TRV Ring	£1.53	£1.84

* Temporarily unavailable


Heat output shown at ΔT 50°C
Product codes in bold are available from stock.

Installation




looking towards wall

*60mm for the 420mm wide version.



LST type 11
elevation



LST type 22
side elevation

	enclosure height A (mm)		
	572	672	872
emitter height - B (mm)	300	400	600

Important: It is advisable to leave a further 5mm clearance above any final floor covering to allow for easy fitting and removal.

Control Options

A range of Purmo thermostatic radiator valves is available enabling the temperature of individual rooms to be automatically and precisely controlled.

Close Coupled Thermostatic Radiator Valve

The close coupled TRV Kit is suitable for the BOE connection, offering a choice of positions for both the valve body and the sensor head. The kit allows the thermal sensing head of a Purmo TRV to be mounted directly on the top left or top right of the casing. The point of fixing in the casing side has been semi-punched to allow it to be easily knocked out. The body of the valve is fitted to the emitter, and is coupled to the sensor head by means of a flexible capillary lead.

The Universal Kit comprises:

- 1 TRV head & limit pins
- 1 ½" 15mm straight body
- 1 LST capillary unit
- 1 Head locating body
- 1 ½" 15mm Fullflow straight lockshield valve
- 2 Integration elbows

To Order: UNICCKTCP



Direct Fit TRV Kit (Cannot be used with 420mm wide radiator)

The Direct Fit TRV Kit is suitable for TBOE connection only, and allows a Purmo TRV body to be fitted directly to the emitter with the thermostatic head projecting through the casing.

The Kit comprises:

- 1 Horizontal angle TRV body
- 1 TRV head
- 1 Extension adaptor
- 1 Plastic bush
- 1 Matchmaster lockshield valve

To Order: DIRECTFIT



Remote Sensor

The Remote Sensor is suitable for BOE connections only. This allows the fitting of a Purmo TRV inside the casing with the sensor being located up to 5m away.

To Order: TRVRSHEAD5 (5m) / TRVRSHEAD2 (2m)



Remote Adjuster

The Remote Adjuster enables the Purmo TRV head / sensor to be wall mounted up to 5m away from the radiator and is suitable for both TBOE and BOE connections.

To Order: TRVADJHEAD5 (5m) / TRVADJHEAD2 (2m)



COMPLA HORIZONTAL

Compla Horizontal is a premium panel radiator. Stylish and modern, with the technological benefits of a Compact radiator, Compla Horizontal gives the perfect combination of design appearance and performance.

- Available in four heights **300mm, 400mm, 500mm and 600mm**
- Available in nine lengths from **400mm to 2000mm**
- Available as single panel, single convector (T11) and double panel, double convector (T22)

Features

- Durable powder coated in white RAL 9016 paint for a brighter, whiter finish
- Full 10-year warranty
- Manufactured and tested to BS EN 442



Accessories



1. Universal floor fixing bracket
for all types - refer to page 15
for technical information

Code: RH033

Price:

£40.78 (excl. VAT) (single piece)

£48.94 (incl. VAT) (single piece)



2. Radiator pack

TRV and Lockshield.


Code: 2TRVPURPK

Price:

£26.17 (excl. VAT)

£31.40 (incl. VAT)






Compla in white

Compla Horizontal (T11) - Single Panel Single Convector							
Product Code	Height (mm)	Width (mm)	Watts	BTU/Hr	Weight (kgs)	List Price (Excl. VAT)	List Price (Inc. VAT)
B11306COM	300	600	317	1082	8.05	£81.14	£97.37
B11310COM		1000	529	1805	12.60	£162.23	£194.68
B11314COM		1400	741	2528	17.15	£243.39	£292.07
B11404COM	400	400	272	928	7.38	£81.14	£97.37
B11406COM		600	408	1392	10.42	£94.65	£113.58
B11408COM		800	544	1856	13.47	£135.19	£162.23
B11410COM		1000	680	2320	16.51	£189.26	£227.11
B11412COM		1200	816	2784	19.55	£229.87	£275.84
B11414COM		1400	952	3248	22.60	£270.44	£324.53
B11416COM		1600	1088	3712	25.64	£311.00	£373.20
B11418COM		1800	1224	4176	28.69	£365.09	£438.11
B11504COM	500	400	329	1123	8.84	£108.12	£129.74
B11506COM		600	494	1686	12.73	£121.68	£146.02
B11508COM		800	658	2245	16.60	£162.23	£194.68
B11510COM		1000	823	2808	20.49	£216.35	£259.62
B11512COM		1200	988	3371	24.37	£256.89	£308.27
B11514COM		1400	1152	3931	28.25	£297.46	£356.95
B11516COM		1600	1317	4494	32.13	£338.03	£405.64
B11518COM		1800	1481	5053	36.02	£392.09	£470.51
B11604COM	600	400	384	1310	10.75	£121.68	£146.02
B11606COM		600	577	1969	15.34	£135.19	£162.23
B11608COM		800	769	2624	19.92	£175.79	£210.95
B11610COM		1000	961	3279	24.50	£229.87	£275.84
B11612COM		1200	1153	3934	29.09	£270.44	£324.53
B11614COM		1400	1345	4589	33.67	£311.00	£373.20
B11616COM		1600	1538	5248	38.25	£351.57	£421.88
B11618COM		1800	1730	5903	42.84	£405.62	£486.74
B11620COM		2000	1922	6558	47.43	£432.67	£519.20

Compla Horizontal (T22) - Double Panel Double Convector							
Product Code	Height (mm)	Width (mm)	Watts	BTU/Hr	Weight (kgs)	List Price (Excl. VAT)	List Price (Inc. VAT)
B22306COM	300	600	562	1918	12.42	£175.79	£210.95
B22310COM		1000	937	3197	19.72	£256.89	£308.27
B22314COM		1400	1312	4477	27.01	£338.03	£405.64
B22404COM	400	400	479	1634	11.40	£135.19	£162.23
B22406COM		600	719	2453	16.30	£189.26	£227.11
B22408COM		800	958	3269	21.21	£229.87	£275.84
B22410COM		1000	1198	4088	26.12	£283.94	£340.73
B22412COM		1200	1438	4906	31.03	£338.03	£405.64
B22414COM		1400	1677	5722	35.95	£378.59	£454.31
B22416COM		1600	1917	6541	40.85	£419.15	£502.98
B22418COM		1800	2156	7356	45.76	£500.28	£600.34
B22504COM	500	400	578	1972	13.98	£162.23	£194.68
B22506COM		600	866	2955	20.16	£216.35	£259.62
B22508COM		800	1155	3941	26.31	£256.89	£308.27
B22510COM		1000	1444	4927	32.48	£311.00	£373.20
B22512COM		1200	1733	5913	38.65	£365.09	£438.11
B22514COM		1400	2022	6899	44.81	£405.62	£486.74
B22516COM		1600	2310	7882	50.98	£446.19	£535.43
B22518COM		1800	2599	8868	57.14	£527.34	£632.81
B22604COM	600	400	670	2286	17.07	£175.79	£210.95
B22606COM		600	1006	3432	24.52	£229.87	£275.84
B22608COM		800	1341	4575	31.96	£270.44	£324.53
B22610COM		1000	1676	5719	39.40	£324.51	£389.41
B22612COM		1200	2011	6862	46.85	£378.59	£454.31
B22614COM		1400	2346	8005	54.29	£419.15	£502.98
B22616COM		1600	2682	9151	61.73	£459.73	£551.68
B22618COM		1800	3017	10294	69.18	£540.84	£649.01
B22620COM		2000	3352	11437	76.62	£621.95	£746.34

Heat output shown at ΔT 50°C
Product codes in bold are available from stock.

Mounting Details



Top View


Type 11




Type 22




HEIGHT (mm)	A (mm)
300	250
400	350
500	450
600	550



Bracket
Type 11



Bracket
Type 22



HEIGHT (mm)	B (mm)
300	151
400	241
500	341
600	441

Compla Horizontal T11 - Water Content (L)				
Radiator height (mm)	300	400	500	600
Water content per metre length	1.50	2.20	2.90	3.40

Compla Horizontal T22 - Water Content (L)				
Radiator height (mm)	300	400	500	600
Water content per metre length	3.20	4.20	5.20	6.10

Compla Horizontal T11 - n-Coefficients				
Radiator height (mm)	300	400	500	600
n-Coefficient	1.2820	1.2824	1.2827	1.2831

Compla Horizontal T22 - n-Coefficients				
Radiator height (mm)	300	400	500	600
n-Coefficient	1.3000	1.3098	1.3197	1.3295

Suitable for Bottom Opposite End (BOE). Top Bottom Opposite Ends (TBOE) and Top Bottom Same End (TBSE). 4 x ½" BSP tappings.

All Compla radiators:

Test Pressure 13 bar.

Max operating pressure 10 bar.

COMPLA VERTICAL

Compla Vertical has a clean minimalist feel, a premium alternative to a traditional panel radiator. Available in a variety of sizes. Easy to clean, robust and comes with pre-fitted curved side panels for easy installation.

- Available in two heights of **1800mm and 1950mm**
- Available in four lengths from **300mm to 750mm**
- Available in **Type 22 only**

Features

- Durable powder coated in white RAL 9016 paint for a brighter, whiter finish
- Full 10-year warranty
- Manufactured and tested to BS EN 442



Accessories

1. Towel bar



Length	Product Code	List Price (excl. VAT)	List Price (incl. VAT)
300mm	VRTRAILBR300	£241.56	£289.87
450mm	VRTRAILBR450	£241.56	£289.87
600mm	VRTRAILBR600	£252.51	£303.01
750mm	VRTRAILBR750	£263.39	£316.07



Compla in white



2. Radiator pack

TRV and Lockshield.

Code: 2TRVPURPK

Price:

£26.17 (excl. VAT)

£31.40 (incl. VAT)

3. Valve sets

For mid connection options see accessories page 76




Compla in white


Compla Vertical (T22) - Double Panel Double Convector							
Product Code	Height (mm)	Width (mm)	Watts	BTU/Hr	Weight (Kg)	List Price (Excl. VAT)	List Price (Inc. VAT)
B22183COM	1800	300	1046	3570	50.50	£500.28	£600.34
B22184COM		450	1569	5355	62.90	£567.89	£681.47
B22186COM		600	2092	7140	75.40	£635.50	£762.60
B22187COM		750	2615	8925	88.23	£703.08	£843.70
B22193COM	1950	300	1103	3765	57.81	£527.34	£632.81
B22194COM		450	1654	5645	71.17	£594.94	£713.93
B22196COM		600	2205	7526	84.97	£662.55	£795.06
B22197COM		750	2756	9406	98.62	£730.14	£876.17

Heat output shown at ΔT 50°C
Product codes in bold are available from stock.

Mounting Details



LENGTH (mm)	L ₁ (mm)	L ₂ (mm)
300	60	75
450	135	125
600	210	200
750	285	275



LENGTH (mm)	D (mm)	E (mm)
300	244	320
450	394	470
600	544	620
750	694	770

Compla Vertical - Water Content (L/m)		
Height (mm)	1800	1950
Water content (L)	21.73	23.47

6 Tap Radiator. 4 x ½" BSP and ¾" central connection. Can be installed BOE, TOE, central both top and bottom.

All Compla Vertical Radiators: Test Pressure: 8 bar Max Operating Pressure: 6 bar



Compla vertical in white

LIGNA HORIZONTAL

Ligna is a traditional panel radiator, but with a luxurious design aesthetic. Available in a variety of sizes, this radiator range is ideal for those looking for a radiator with style, without compromising top-quality performance.

- Available in four heights **300mm, 400mm, 500mm and 600mm**
- Available in nine lengths from **400mm to 2000mm**
- Available as single panel, single convector (T11) and double panel, double convector (T22)

Features

- Durable powder coated in white RAL 9016 paint for a brighter, whiter finish
- Full 10-year warranty
- Manufactured and tested to BS EN 442



Ligna horizontal in white

Accessories



- 1. Universal floor fixing bracket**
for all types - refer to page 15
for technical information
Code: RH033
Price:
£40.78 (excl. VAT) (single piece)
£48.94 (incl. VAT) (single piece)



- 2. Radiator pack**
TRV and Lockshield.
Code: 2TRVPURPK
Price:
£26.17 (excl. VAT)
£31.40 (incl. VAT)




Ligna horizontal in white

Ligna Horizontal (T11) - Single Panel Single Convector							
Product Code	Height (mm)	Width (mm)	Watts	BTU/Hr	Weight (kgs)	List Price (Excl. VAT)	List Price (Inc. VAT)
B11310LIG	300	1000	529	1805	12.60	£113.59	£136.31
B11314LIG		1400	741	2528	17.15	£170.37	£204.44
B11408LIG	400	800	544	1856	13.47	£93.70	£112.44
B11410LIG		1000	680	2320	16.51	£130.61	£156.73
B11412LIG		1200	816	2784	19.55	£159.02	£190.82
B11414LIG		1400	952	3248	22.60	£187.40	£224.88
B11416LIG		1600	1088	3712	25.64	£215.80	£258.96
B11418LIG		1800	1224	4176	28.69	£252.70	£303.24
B11504LIG	500	400	329	1123	8.84	£73.81	£88.57
B11506LIG		600	494	1686	12.73	£85.16	£102.19
B11508LIG		800	658	2245	16.60	£113.59	£136.31
B11510LIG		1000	823	2808	20.49	£150.47	£180.56
B11512LIG		1200	988	3371	24.37	£178.85	£214.62
B11514LIG		1400	1152	3931	28.25	£207.27	£248.72
B11516LIG		1600	1317	4494	32.13	£235.65	£282.78
B11518LIG		1800	1481	5053	36.02	£272.59	£327.11
B11604LIG	600	400	384	1310	10.75	£85.16	£102.19
B11606LIG		600	577	1969	15.34	£93.70	£112.44
B11608LIG		800	769	2624	19.92	£122.06	£146.47
B11610LIG		1000	961	3279	24.50	£159.02	£190.82
B11612LIG		1200	1153	3934	29.09	£187.40	£224.88
B11614LIG		1400	1345	4589	33.67	£215.80	£258.96
B11616LIG		1600	1538	5248	38.25	£244.21	£293.05
B11618LIG		1800	1730	5903	42.84	£281.10	£337.32
B11620LIG		2000	1922	6558	47.43	£300.99	£361.19

Ligna Horizontal (T22) - Double Panel Double Convector							
Product Code	Height (mm)	Width (mm)	Watts	BTU/Hr	Weight (kgs)	List Price (Excl. VAT)	List Price (Inc. VAT)
B22306LIG	300	600	562	1918	12.42	£122.06	£146.47
B22310LIG		1000	937	3197	19.72	£178.85	£214.62
B22314LIG		1400	1312	4477	27.01	£235.65	£282.78
B22404LIG	400	400	479	1634	11.40	£93.70	£112.44
B22406LIG		600	719	2453	16.30	£130.61	£156.73
B22408LIG		800	958	3269	21.21	£159.02	£190.82
B22410LIG		1000	1198	4088	26.12	£195.92	£235.10
B22412LIG		1200	1438	4906	31.03	£235.65	£282.78
B22414LIG		1400	1677	5722	35.95	£261.24	£313.49
B22416LIG		1600	1917	6541	40.85	£289.63	£347.56
B22418LIG		1800	2156	7356	45.76	£346.42	£415.70
B22504LIG	500	400	578	1972	13.98	£113.59	£136.31
B22506LIG		600	866	2955	20.16	£150.47	£180.56
B22508LIG		800	1155	3941	26.31	£178.85	£214.62
B22510LIG		1000	1444	4927	32.48	£215.80	£258.96
B22512LIG		1200	1733	5913	38.65	£252.70	£303.24
B22514LIG		1400	2022	6899	44.81	£281.10	£337.32
B22516LIG		1600	2310	7882	50.98	£309.48	£371.38
B22604LIG	600	400	670	2286	17.07	£122.06	£146.47
B22606LIG		600	1006	3432	24.52	£159.02	£190.82
B22608LIG		800	1341	4575	31.96	£187.40	£224.88
B22610LIG		1000	1676	5719	39.40	£224.30	£269.16
B22612LIG		1200	2011	6862	46.85	£261.24	£313.49
B22614LIG		1400	2346	8005	54.29	£289.63	£347.56
B22616LIG		1600	2682	9151	61.73	£318.01	£381.61
B22618LIG		1800	3017	10294	69.18	£374.82	£449.78
B22620LIG		2000	3352	11437	76.62	£431.60	£517.92

Heat output shown at ΔT 50°C
Product codes in bold are available from stock.

Mounting Details



Top View


Type 11




Type 22




HEIGHT (mm)	A (mm)
300	250
400	350
500	450
600	550



Bracket
Type 11



Bracket
Type 22



HEIGHT (mm)	B (mm)
300	151
400	241
500	341
600	441

Ligna Horizontal T11 - Water Content (L)				
Radiator height (mm)	300	400	500	600
Water content per metre length	1.50	2.20	2.90	3.40

Ligna Horizontal T22 - Water Content (L)				
Radiator height (mm)	300	400	500	600
Water content per metre length	3.20	4.20	5.20	6.10

Ligna Horizontal T11 - n-Coefficients				
Radiator height (mm)	300	400	500	600
n-Coefficient	1.2820	1.2824	1.2827	1.2831

Ligna Horizontal T22 - n-Coefficients				
Radiator height (mm)	300	400	500	600
n-Coefficient	1.3000	1.3098	1.3197	1.3295

4 x 1/2" BSP tapings. Suitable for Bottom Opposite End (BOE). Top Bottom Opposite Ends (TBOE) and Top Bottom Same End (TBSE).

All Ligna radiators:

Test Pressure 13 bar.

Max operating pressure 10 bar.

LIGNA VERTICAL

Ligna Vertical is a modern twist on a traditional panel radiator, with a lined effect adding style to substance. Available in a variety of sizes. Easy to clean, robust and comes with pre-fitted curved side panels without compromising top-quality performance.

- Available in two heights of **1800mm and 1950mm**
- Available in four lengths from **300mm to 750mm**
- Available in **Type 22 only**


Features

- Durable powder coated in white RAL 9016 paint for a brighter, whiter finish
- Full 10-year warranty
- Manufactured and tested to BS EN 442



Accessories

1. Towel bar



Length	Product Code	List Price (excl. VAT)	List Price (incl. VAT)
300mm	VRTRAILBR300	£241.56	£289.87
450mm	VRTRAILBR450	£241.56	£289.87
600mm	VRTRAILBR600	£252.51	£303.01
750mm	VRTRAILBR750	£263.39	£316.07

2. Radiator pack


TRV and Lockshield.

Code: 2TRVPURPK

Price:

£26.17 (excl. VAT)

£31.40 (incl. VAT)



3. Valve sets

For mid connection options see accessories page 76



Ligna vertical in white




Ligna vertical in white



Ligna Vertical (T22) - Double Panel Double Convector							
Product Code	Height (mm)	Width (mm)	Watts	BTU/Hr	Weight (kgs)	List Price (Excl. VAT)	List Price (Inc. VAT)
B22183LIG	1800	300	1046	3570	50.50	£432.67	£519.20
B22184LIG		450	1569	5355	62.90	£513.79	£616.55
B22186LIG		600	2092	7140	75.40	£594.94	£713.93
B22187LIG		750	2615	8925	88.23	£676.02	£811.22
B22193LIG	1950	300	1103	3765	57.81	£459.73	£551.68
B22194LIG		450	1654	5645	71.17	£540.84	£649.01
B22196LIG		600	2205	7526	84.97	£621.95	£746.34
B22197LIG		750	2756	9406	98.62	£703.08	£843.70

Heat output shown at ΔT 50°C
Product codes in bold are available from stock.

Mounting Details



LENGTH (mm)	L ₁ (mm)	L ₂ (mm)
300	60	75
450	135	125
600	210	200
750	285	275



LENGTH (mm)	D (mm)	E (mm)
300	244	320
450	394	470
600	544	620
750	694	770

Ligna Vertical - Water Content (L/m)		
Height (mm)	1800	1950
Water content (L)	21.73	23.47

6 Tap Radiator. 4 x 1/2" BSP + 3/4" central connection. Can be installed BOE, TOE, central both top and bottom.

All Ligna Vertical Radiators: Test Pressure: 8 bar Max Operating Pressure: 6 bar



SLIEVE

A popular choice amongst households, the Slieve with its smooth front panel combines designer style with exceptionally high heat outputs. Available in horizontal and vertical models, Slieve complements a range of interiors without compromising on performance.

Horizontal

- Available in five heights from **288mm to 723mm**
- Available in ten lengths from **500mm to 2000mm**
- Available in 5 types (**H10, H11, H20, H21 and H22**)

Vertical

- Available in three heights from **1600mm to 2000mm**
- Available in nine lengths from **288mm to 868mm**
- Available in type **V10 and V20**

Features

- Durable powder coated in white RAL 9016 paint for a brighter, whiter finish
- Available in our 9 colours
- Full 10-year warranty
- Manufactured and tested to BS EN 442



Slieve double vertical in copper



Slieve double vertical in champagne



Sleeve single vertical in white

Slieve Horizontal - Single Panel H10											
Product Code	Height (mm)	Width (mm)	Rows of Tubes	Watts	BTU/Hr	Weight (Kg)	List Price (Excl. VAT)	List Price (Inc. VAT)	Colour Code	Colour List Price (Excl. VAT)	Colour List Price (Inc. VAT)
QHP1026	578	800	8	487	1662	14.19	£373.08	£447.70	QHP1026RAL	£466.37	£559.64
QHP1028		1000	8	609	2078	17.74	£392.72	£471.26	QHP1028RAL	£490.90	£589.08
QHP1030		1200	8	731	2494	21.29	£412.36	£494.83	QHP1030RAL	£515.42	£618.50
QHP1031		1400	8	853	2910	24.84	£431.98	£518.38	QHP1031RAL	£540.00	£648.00
QHP1032		1600	8	974	3323	28.38	£451.65	£541.98	QHP1032RAL	£564.52	£677.42

Slieve Horizontal - Single Panel Single Convactor H11											
Product Code	Height (mm)	Width (mm)	Rows of Tubes	Watts	BTU/Hr	Weight (Kg)	List Price (Excl. VAT)	List Price (Inc. VAT)	Colour Code	Colour List Price (Excl. VAT)	Colour List Price (Inc. VAT)
QHP1161	433	600	6	434	1481	10.63	£350.41	£420.49	QHP1161RAL	£438.02	£525.62
QHP1162		800	6	578	1972	14.18	£371.65	£445.98	QHP1162RAL	£464.54	£557.45
QHP1102		1000	6	723	2467	17.72	£390.76	£468.91	QHP1102RAL	£488.44	£586.13
QHP1163		1200	6	868	2962	21.26	£409.85	£491.82	QHP1163RAL	£512.32	£614.78
QHP1103		1400	6	1012	3453	24.81	£431.08	£517.30	QHP1103RAL	£538.87	£646.64
QHP114316		1600	6	1157	3948	28.35	£449.01	£538.81	QHP114316RAL	£561.25	£673.50
QHP1104		1800	6	1301	4439	31.90	£471.44	£565.73	QHP1104RAL	£589.30	£707.16
QHP1164	505	500	7	409	1396	10.35	£356.76	£428.11	QHP1164RAL	£445.96	£535.15
QHP1115		600	7	490	1672	12.42	£371.65	£445.98	QHP1115RAL	£464.54	£557.45
QHP1165		700	7	572	1952	14.49	£382.26	£458.71	QHP1165RAL	£477.81	£573.37
QHP1116		800	7	654	2231	16.56	£392.89	£471.47	QHP1116RAL	£491.06	£589.27
QHP1112		1000	7	817	2788	20.70	£416.23	£499.48	QHP1112RAL	£520.29	£624.35
QHP1117		1200	7	980	3344	24.84	£439.58	£527.50	QHP1117RAL	£549.47	£659.36
QHP1113		1400	7	1144	3903	28.98	£465.10	£558.12	QHP1113RAL	£581.36	£697.63
QHP1118		1600	7	1307	4459	33.12	£488.44	£586.13	QHP1118RAL	£610.55	£732.66
QHP1114		1800	7	1471	5019	37.26	£509.67	£611.60	QHP1114RAL	£637.10	£764.52
QHP1119		2000	7	1634	5575	41.40	£535.13	£642.16	QHP1119RAL	£668.96	£802.75
QHP1166	578	500	8	459	1566	11.86	£378.01	£453.61	QHP1166RAL	£472.52	£567.02
QHP1105		600	8	551	1880	14.23	£388.61	£466.33	QHP1105RAL	£485.78	£582.94
QHP1167		700	8	643	2194	16.60	£403.48	£484.18	QHP1167RAL	£504.36	£605.23
QHP1125		800	8	734	2504	18.98	£418.38	£502.06	QHP1125RAL	£522.94	£627.53
QHP1106		1000	8	918	3132	23.72	£445.96	£535.15	QHP1106RAL	£557.45	£668.94
QHP1126		1200	8	1102	3760	28.46	£471.44	£565.73	QHP1126RAL	£589.30	£707.16
QHP1107		1400	8	1285	4384	33.21	£499.06	£598.87	QHP1107RAL	£623.81	£748.57
QHP1127		1600	8	1469	5012	37.95	£526.64	£631.97	QHP1127RAL	£658.34	£790.01
QHP1108		1800	8	1652	5637	42.70	£552.14	£662.57	QHP1108RAL	£690.18	£828.22
QHP1170		2000	8	1836	6264	47.44	£579.75	£695.70	QHP1170RAL	£724.69	£869.63
QHP1171	723	500	10	569	1941	14.84	£416.23	£499.48	QHP1171RAL	£520.29	£624.35
QHP1172		600	10	683	2330	17.80	£433.22	£519.86	QHP1172RAL	£541.53	£649.84
QHP1174		800	10	910	3105	23.74	£467.18	£560.62	QHP1174RAL	£583.99	£700.79
QHP1176		1000	10	1138	3883	29.67	£501.18	£601.42	QHP1176RAL	£626.46	£751.75
QHP1178		1200	10	1366	4661	35.60	£535.13	£642.16	QHP1178RAL	£668.96	£802.75
QHP1179		1400	10	1593	5435	41.54	£569.10	£682.92	QHP1179RAL	£711.41	£853.69
QHP1180		1600	10	1821	6213	47.47	£603.13	£723.76	QHP1180RAL	£753.88	£904.66

Slieve Horizontal - Double Panel H20											
Product Code	Height (mm)	Width (mm)	Rows of Tubes	Watts	BTU/Hr	Weight (Kg)	List Price (Excl. VAT)	List Price (Inc. VAT)	Colour Code	Colour List Price (Excl. VAT)	Colour List Price (Inc. VAT)
QHP20580	578	800	8	864	2948	25.88	£451.65	£541.98	QHP20580RAL	£564.52	£677.42
QHP20581		1000	8	1080	3685	32.35	£486.97	£584.36	QHP20581RAL	£608.71	£730.45
QHP20582		1200	8	1296	4422	38.82	£524.28	£629.14	QHP20582RAL	£655.35	£786.42
QHP20583		1400	8	1512	5159	45.29	£561.60	£673.92	QHP20583RAL	£701.99	£842.39
QHP20584		1600	8	1728	5896	51.76	£598.86	£718.63	QHP20584RAL	£748.62	£898.34

Slieve Horizontal - Double Panel Single Convactor H21											
Product Code	Height (mm)	Width (mm)	Rows of Tubes	Watts	BTU/Hr	Weight (Kg)	List Price (Excl. VAT)	List Price (Inc. VAT)	Colour Code	Colour List Price (Excl. VAT)	Colour List Price (Inc. VAT)
QHP2104	578	800	8	1114	3801	31.18	£586.50	£703.80	QHP2104RAL	£733.17	£879.80
QHP2105		1000	8	1392	4750	38.98	£647.19	£776.63	QHP2105RAL	£809.00	£970.80
QHP2106		1200	8	1670	5698	46.78	£707.88	£849.46	QHP2106RAL	£884.83	£1,061.80
QHP21725	723	800	10	1324	4517	39.06	£733.63	£880.36	QHP21725RAL	£917.06	£1,100.47
QHP21726		1000	10	1655	5647	48.82	£809.55	£971.46	QHP21726RAL	£1,011.93	£1,214.32

Heat output shown at ΔT 50°C
Product codes in bold are available from stock.
Non bold product codes are available in a 6-8 week lead time.

Sieve Horizontal - Double Panel Double Convactor H22											
Product Code	Height (mm)	Width (mm)	Rows of Tubes	Watts	BTU/Hr	Weight (Kg)	List Price (Excl. VAT)	List Price (Inc. VAT)	Colour Code	Colour List Price (Excl. VAT)	Colour List Price (Inc. VAT)
QHP22S04	288	1000	4	1063	3627	22.84	£420.47	£504.56	QHP22S04RAL	£525.61	£630.73
QHP22S15		1200	4	1276	4354	27.41	£445.96	£535.15	QHP22S15RAL	£557.45	£668.94
QHP22S4310	433	1000	6	1455	4964	33.79	£761.55	£913.86	QHP22S4310RAL	£951.94	£1,142.33
QHP22S4312		1200	6	1746	5957	40.55	£870.37	£1,044.44	QHP22S4312RAL	£1,087.93	£1,305.52
QHP22S4314		1400	6	2037	6950	47.31	£907.39	£1,088.87	QHP22S4314RAL	£1,134.20	£1,361.04
QHP22S4318		1800	6	2619	8936	60.82	£1,124.98	£1,349.98	QHP22S4318RAL	£1,406.23	£1,687.48
QHP22S5006	505	600	7	980	3344	23.76	£685.15	£822.18	QHP22S5006RAL	£856.46	£1,027.75
QHP22S5008		800	7	1307	4459	31.68	£765.02	£918.02	QHP22S5008RAL	£956.29	£1,147.55
QHP22S5010		1000	7	1634	5575	39.60	£856.46	£1,027.75	QHP22S5010RAL	£1,070.59	£1,284.71
QHP22S5012		1200	7	1961	6691	47.52	£957.20	£1,148.64	QHP22S5012RAL	£1,196.44	£1,435.73
QHP22S5014		1400	7	2288	7807	55.44	£1,030.07	£1,236.08	QHP22S5014RAL	£1,287.56	£1,545.07
QHP22S5016		1600	7	2614	8919	63.36	£1,124.98	£1,349.98	QHP22S5016RAL	£1,406.23	£1,687.48
QHP22S5018		1800	7	2941	10035	71.28	£1,233.76	£1,480.51	QHP22S5018RAL	£1,542.21	£1,850.65
QHP22S5020		2000	7	3268	11150	79.20	£1,288.16	£1,545.79	QHP22S5020RAL	£1,610.18	£1,932.22
QHP22S21	578	600	8	1084	3699	27.29	£761.55	£913.86	QHP22S21RAL	£951.94	£1,142.33
QHP22S22		800	8	1446	4934	36.39	£833.32	£999.98	QHP22S22RAL	£1,041.63	£1,249.96
QHP22S23		1000	8	1807	6165	45.49	£951.35	£1,141.62	QHP22S23RAL	£1,189.21	£1,427.05
QHP22S24		1200	8	2168	7397	54.59	£1,051.69	£1,262.03	QHP22S24RAL	£1,314.60	£1,577.52
QHP22S25		1400	8	2530	8632	64.69	£1,152.76	£1,383.31	QHP22S25RAL	£1,440.91	£1,729.09
QHP22S26		1600	8	2891	9864	72.78	£1,233.76	£1,480.51	QHP22S26RAL	£1,542.21	£1,850.65
QHP22S5718		1800	8	3253	11099	81.88	£1,342.56	£1,611.07	QHP22S5718RAL	£1,678.21	£2,013.85
QHP22S27		2000	8	3614	12331	90.98	£1,414.33	£1,697.20	QHP22S27RAL	£1,767.88	£2,121.46
QHP22S7205	723	500	10	1063	3627	28.53	£888.85	£1,066.62	QHP22S7205RAL	£1,111.12	£1,333.34
QHP22S39		600	10	1276	4354	34.24	£914.31	£1,097.17	QHP22S39RAL	£1,142.90	£1,371.48
QHP22S7207		700	10	1488	5077	39.94	£979.14	£1,174.97	QHP22S7207RAL	£1,223.92	£1,468.70
QHP22S40		800	10	1701	5804	45.65	£1,023.13	£1,227.76	QHP22S40RAL	£1,278.90	£1,534.68
QHP22S41		1000	10	2126	7254	57.06	£1,145.80	£1,374.96	QHP22S41RAL	£1,432.27	£1,718.72
QHP22S42		1200	10	2551	8704	68.47	£1,305.53	£1,566.64	QHP22S42RAL	£1,631.92	£1,958.30
Sieve Vertical - Single Panel V10											
Product Code	Height (mm)	Width (mm)	Rows of Tubes	Watts	BTU/Hr	Weight (Kg)	List Price (Excl. VAT)	List Price (Inc. VAT)	Colour Code	Colour List Price (Excl. VAT)	Colour List Price (Inc. VAT)
QV1043W	1600	288	4	559	1907	13.29	£353.94	£424.73	QV1043RAL	£442.41	£530.89
QV1044W		433	6	811	2767	19.67	£401.26	£481.51	QV1044RAL	£501.57	£601.88
QV1016W		505	7	933	3183	22.84	£434.84	£521.81	QV1016RAL	£543.54	£652.25
QV1017W		578	8	1056	3603	26.05	£469.22	£563.06	QV1017RAL	£586.50	£703.80
QV1045W	1800	288	4	625	2133	14.80	£394.40	£473.28	QV1045RAL	£492.98	£591.58
QV1013W		433	6	906	3091	21.89	£441.70	£530.04	QV1013RAL	£552.14	£662.57
QV1022W		505	7	1042	3555	25.41	£475.28	£570.34	QV1022RAL	£594.09	£712.91
QV1014W		578	8	1178	4019	28.99	£509.67	£611.60	QV1014RAL	£637.10	£764.52
QV1023W		650	9	1311	4473	32.51	£546.07	£655.28	QV1023RAL	£682.58	£819.10
QV1024W		795	11	1576	5377	39.60	£582.47	£698.96	QV1024RAL	£728.10	£873.72
QV1001W	2000	288	4	690	2354	16.30	£382.26	£458.71	QV1001RAL	£477.81	£573.37
QV1002W		433	6	1000	3412	24.16	£456.59	£547.91	QV1002RAL	£570.74	£684.89
QV1012W		505	7	1151	3927	28.06	£492.70	£591.24	QV1012RAL	£615.86	£739.03
QV1004W		578	8	1302	4442	32.01	£530.91	£637.09	QV1004RAL	£663.64	£796.37
QV1003W		650	9	1449	4944	35.91	£573.36	£688.03	QV1003RAL	£716.73	£860.08
QV1005W		723	10	1596	5446	39.87	£605.22	£726.26	QV1005RAL	£756.54	£907.85
QV1026W		795	11	1740	5937	43.77	£647.19	£776.63	QV1026RAL	£809.00	£970.80

Heat output shown at ΔT 50°C
Product codes in bold are available from Purmo stock.
Non bold product codes are available in a 6-8 week lead time.

Slieve Vertical - Double Panel V20											
Product Code	Height (mm)	Width (mm)	Rows of Tubes	Watts	BTU/Hr	Weight (Kg)	List Price (Excl. VAT)	List Price (Inc. VAT)	Colour Code	Colour List Price (Excl. VAT)	Colour List Price (Inc. VAT)
QV2006W	1600	505	7	1440	4913	43.71	£606.65	£727.98	QV2006RAL	£758.32	£909.98
QV2007W		578	8	1627	5551	49.96	£672.51	£807.01	QV2007RAL	£840.62	£1,008.74
QV2008W		650	9	1810	6176	56.11	£741.49	£889.79	QV2008RAL	£926.87	£1,112.24
QV201828W	1800	288	4	963	3286	28.10	£439.47	£527.36	QV201828RAL	£549.39	£659.27
QV201836W		360	5	1179	4023	34.99	£505.35	£606.42	QV201836RAL	£631.64	£757.97
QV2036W		433	6	1394	4756	41.97	£571.15	£685.38	QV2036RAL	£713.95	£856.74
QV2012W		505	7	1603	5469	48.86	£637.00	£764.40	QV2012RAL	£796.21	£955.45
QV2013W		578	8	1811	6179	55.84	£702.80	£843.36	QV2013RAL	£878.53	£1,054.24
QV2014W		650	9	2014	6872	62.73	£771.86	£926.23	QV2014RAL	£964.77	£1,157.72
QV2015W		723	10	2218	7568	69.71	£840.84	£1,009.01	QV2015RAL	£1,051.09	£1,261.31
QV2016W		795	11	2418	8250	76.60	£880.53	£1,056.64	QV2016RAL	£1,100.70	£1,320.84
QV2017W		868	12	2626	8960	83.56	£920.25	£1,104.30	QV2017RAL	£1,150.29	£1,380.35
QV2001W	2000	288	4	1061	3620	31.13	£479.94	£575.93	QV2001RAL	£599.93	£719.92
QV202036W		360	5	1299	4432	38.76	£545.79	£654.95	QV202036RAL	£682.22	£818.66
QV2002W		433	6	1535	5237	46.50	£611.59	£733.91	QV2002RAL	£764.49	£917.39
QV2018W		505	7	1765	6022	54.13	£677.45	£812.94	QV2018RAL	£846.80	£1,016.16
QV2004W		578	8	1994	6804	61.87	£743.27	£891.92	QV2004RAL	£929.09	£1,114.91
QV2003W		650	9	2218	7568	69.50	£812.29	£974.75	QV2003RAL	£1,008.72	£1,210.46
QV2005W		723	10	2443	8336	77.24	£881.30	£1,057.56	QV2005RAL	£1,101.63	£1,321.96
QV2019W		795	11	2662	9083	84.87	£960.70	£1,152.84	QV2019RAL	£1,200.86	£1,441.03
QV2020W		868	12	2891	9864	92.59	£1,071.94	£1,286.33	QV2020RAL	£1,339.92	£1,607.90


Heat output shown at ΔT 50°C
Product codes in bold are available from Purmo stock.
Non bold product codes are available in a 6-8 week lead time.



Slieve single horizontal in matt charcoal

Slieve Horizontal - Single Panel H10 & Single Panel Single Convactor H11				
Radiator height (mm)	433	505	578	723
Water content (L/m)	4.01	4.8	5.61	6.84
Fin height (mm)	360	433	505	650


Slieve Horizontal - Double Panel H20, Double Panel Single Convector H21 & Double Panel Double Convector H22					
Radiator height (mm)	288	433	505	578	723
Water content (L/m): H20, H21	4.67	6.31	7.80	9.31	12.04
Water content (L/m): H22	4.90	7.31	8.50	9.71	12.21
Fin height (mm)	288	360	433	505	650



Note: the distance between the connection centres equals the length of radiator.

Slieve Vertical - Single Panel V10			
Radiator height (mm)	1600	1800	2000
Water content per element/tube (L)	0.95	1.03	1.16

Slieve Vertical - Double Panel V20			
Radiator height (mm)	1600	1800	2000
Water content per element/tube (L)	1.89	2.13	2.36



Vertical Slieves have a factory fitted centre baffle as standard in the bottom header for Bottom Opposite End (BOE) installation only.
Horizontal Slieves are supplied without baffles and cannot be installed Top Bottom Same End (TBSE). All tappings ½" BSP.

All Slieve Radiators: Test Pressure: 5.2 bar Max Operating Pressure: 4 bar

ADAGIO

Adagio goes beyond a traditional column radiator with its flat panels in 35mm and 70mm widths. Available in horizontal and vertical designs, its clean lines and sleek finish guarantees style in any room. Choose from single or double columns.

Adagio 35 - Horizontal

- Available in one standard height of **600mm**
- Available in five lengths from **630mm to 1995mm**
- Available in **single and double** flat columns

Adagio 35 - Vertical

- Available in one standard height of **1800mm**
- Available in four lengths from **420mm to 630mm**
- Available in **single** flat column only

Adagio 70 - Vertical

- Available in two heights from **1800mm and 2000mm**
- Available in six widths from **320mm to 680mm**
- Available in **single and double** flat columns



Features

- Durable powder coated in white RAL 9016 paint for a brighter, whiter finish
- Available in our 9 colours
- Full 10-year warranty
- Manufactured and tested to BS EN 442



Adagio 35 double horizontal in silver



Adagio 35 single vertical in bronze



Adagio 70 single vertical in anthracite

Adagio 35 - Horizontal - Single											
Product Code	Height (mm)	Width (mm)	Rows of Tubes	Watts	BTU/Hr	Weight (Kg)	List Price (Excl. VAT)	List Price (Inc. VAT)	Colour Code	Colour List Price (Excl. VAT)	Colour List Price (Inc. VAT)
QS3501W	600	630	18	549	1873	10.44	£329.90	£395.88	QS3501RAL	£412.37	£494.84
QS3505W		840	24	732	2498	17.52	£382.26	£458.71	QS3505RAL	£477.81	£573.37
QS3502W		980	28	854	2914	20.44	£406.12	£487.34	QS3502RAL	£507.68	£609.22
QS3503W		1400	40	1220	4163	29.20	£696.37	£835.64	QS3503RAL	£870.44	£1,044.53
QS3504W		1995	57	1739	5934	41.61	£865.45	£1,038.54	QS3504RAL	£1,080.24	£1,296.29

Adagio 35 - Horizontal - Double											
Product Code	Height (mm)	Width (mm)	Rows of Tubes	Watts	BTU/Hr	Weight (Kg)	List Price (Excl. VAT)	List Price (Inc. VAT)	Colour Code	Colour List Price (Excl. VAT)	Colour List Price (Inc. VAT)
QD3502W	600	980	28	1389	4739	33.60	£626.46	£751.75	QD3502RAL	£783.11	£939.73
QD3503W		1400	40	1984	6769	48.00	£781.48	£937.78	QD3503RAL	£976.86	£1,172.23
QD3504W		1995	57	2827	9646	68.40	£1,008.72	£1,210.46	QD3504RAL	£1,260.88	£1,513.06


Adagio 35 - Vertical - Single											
Product Code	Height (mm)	Width (mm)	Rows of Tubes	Watts	BTU/Hr	Weight (Kg)	List Price (Excl. VAT)	List Price (Inc. VAT)	Colour Code	Colour List Price (Excl. VAT)	Colour List Price (Inc. VAT)
QS351842W	1800	420	12	983	3354	23.28	£444.94	£533.93	QS351842RAL	£556.19	£667.43
QS351849W		490	14	1147	3914	27.16	£483.50	£580.20	QS351849RAL	£604.35	£725.22
QS351859W		595	17	1392	4750	32.98	£598.86	£718.63	QS351859RAL	£748.62	£898.34
QS351863W		630	18	1474	5029	34.92	£659.33	£791.20	QS351863RAL	£824.20	£989.04

Adagio 70 - Vertical - Single											
Product Code	Height (mm)	Width (mm)	Rows of Tubes	Watts	BTU/Hr	Weight (Kg)	List Price (Excl. VAT)	List Price (Inc. VAT)	Colour Code	Colour List Price (Excl. VAT)	Colour List Price (Inc. VAT)
QS7020W	1800	320	8	944	3221	26.80	£499.06	£598.87	QS7020RAL	£623.81	£748.57
QS7021W		400	10	1180	4026	33.50	£556.40	£667.68	QS7021RAL	£695.50	£834.60
QS7023W		520	13	1534	5234	43.55	£647.71	£777.25	QS7023RAL	£809.62	£971.54
QS7022W		600	15	1770	6039	50.25	£705.03	£846.04	QS7022RAL	£881.30	£1,057.56
QS701868W		680	17	2006	6844	56.95	£754.40	£905.28	QS701868RAL	£942.99	£1,131.59
QS7001W	2000	320	8	1040	3548	30.40	£522.41	£626.89	QS7001RAL	£653.03	£783.64
QS7002W		400	10	1300	4436	38.00	£588.24	£705.89	QS7002RAL	£735.31	£882.37
QS7004W		480	12	1560	5323	45.60	£636.01	£763.21	QS7004RAL	£795.02	£954.02
QS7008W		520	13	1690	5766	49.40	£683.79	£820.55	QS7008RAL	£854.77	£1,025.72
QS7003W		600	15	1950	6653	57.00	£748.13	£897.76	QS7003RAL	£935.17	£1,122.20
QS7007W		680	17	2210	7541	64.60	£795.60	£954.72	QS7007RAL	£994.50	£1,193.40


Adagio 70 - Vertical - Double											
Product Code	Height (mm)	Width (mm)	Rows of Tubes	Watts	BTU/Hr	Weight (Kg)	List Price (Excl. VAT)	List Price (Inc. VAT)	Colour Code	Colour List Price (Excl. VAT)	Colour List Price (Inc. VAT)
QD7002W	2000	400	10	2220	7575	73.80	£1,117.68	£1,341.22	QD7002RAL	£1,397.07	£1,676.48
QD7004W		480	12	2664	9090	88.56	£1,208.44	£1,450.13	QD7004RAL	£1,510.58	£1,812.70
QD7003W		600	15	3330	11362	110.70	£1,421.42	£1,705.70	QD7003RAL	£1,776.80	£2,132.16

Heat output shown at ΔT 50°C
Product codes in bold are available from Purmo stock.
Non bold product codes are available in a 6-8 week lead time.


Adagio 35 – Horizontal						
Horizontal	Radiator length (mm)	630	840	980	1400	1995
Single 35mm	Water content (L)	3.96	5.28	6.16	8.80	12.54
Double 35mm	Water content (L)	-	-	10.08	14.40	20.52



Adagio 35 Horizontal Elevation




Adagio 35 Horizontal -
Single and Double Plan




Adagio 35 Horizontal -
Single and Double Section

Note: the distance between the connection centres equals the length of radiator.

Adagio 35 - Vertical		
Vertical	Radiator height (mm)	1800
Single 35mm	Water content per element/tube (L)	0.59



Adagio 35 Vertical Elevation




Adagio 35 Vertical Plan




Adagio 35 Vertical Section


Adagio 70 - Vertical			
Vertical	Radiator height (mm)	1800	2000
Single 70mm	Water content per element/tube (L)	1.00	1.11
Double 70mm	Water content per element/tube (L)	1.94	2.15



Adagio 70 Vertical Elevation



Adagio 70 Vertical Plan



Adagio 70 Vertical Section

All Adagios have a factory fitted centre baffle as standard in the bottom header for Bottom Opposite End (BOE) installation only.
All tappings ½" BSP.

All Adagio Radiators: Test Pressure: 5.2 bar Max Operating Pressure: 4 bar

FORZA

Forza combines a traditional look with innovative technology. Sleek and classic in its design, this multi-column radiator comes with double, triple or quadruple columns.

Horizontal

- Available in four heights from **300mm to 750mm**
- Available in seven lengths from **552mm to 1610mm**
- Available in **2, 3 and 4 columns**

Vertical

- Available in two heights of **1800mm and 2000mm**
- Available in three lengths from **332mm to 598mm**
- Available in **2 and 3 columns**

Features

- Durable powder coated in white RAL 9016 paint for a brighter, whiter finish
- Available in our 9 colours (6-8 week lead time)
- Supplied with 1/2" BSP flow diverter to reduce "warm up" time when installed Bottom Opposite End (BOE)
- Full 10-year warranty
- Manufactured and tested to BS EN 442



Forza 2 column vertical in anthracite



Forza 2 column vertical in champagne




Forza 3 column horizontal in gun metal

Forza Horizontal - 2 Column											
Product Code	Height (mm)	Width (mm)	Rows of Sections	Watts	BTU/Hr	Weight (Kg)	List Price (Excl. VAT)	List Price (Inc. VAT)	Colour Code	Colour List Price (Excl. VAT)	Colour List Price (Inc. VAT)
QMC203	500	552	12	456	1556	9.60	£335.23	£402.28	QMC203RAL	£419.07	£502.88
QMC205		828	18	684	2334	14.40	£469.68	£563.62	QMC205RAL	£587.07	£704.48
QMC206		1012	22	836	2852	17.60	£559.26	£671.11	QMC206RAL	£699.07	£838.88
QMC21	600	552	12	538	1836	10.80	£346.46	£415.75	QMC21RAL	£433.09	£519.71
QMC22		828	18	806	2750	16.20	£486.45	£583.74	QMC22RAL	£608.07	£729.68
QMC23		1012	22	986	3364	19.80	£576.06	£691.27	QMC23RAL	£720.06	£864.07
QMC24		1380	30	1344	4586	27.00	£766.44	£919.73	QMC24RAL	£958.08	£1,149.70
Forza Horizontal - 3 Column											
Product Code	Height (mm)	Width (mm)	Rows of Tubes	Watts	BTU/Hr	Weight (Kg)	List Price (Excl. VAT)	List Price (Inc. VAT)	Colour Code	Colour List Price (Excl. VAT)	Colour List Price (Inc. VAT)
QMC301	300	1012	22	728	2484	15.40	£597.23	£716.68	QMC301RAL	£746.52	£895.82
QMC302		1472	32	1059	3613	22.40	£854.16	£1,024.99	QMC302RAL	£1,067.72	£1,281.26
QMC303	500	552	12	619	2112	14.40	£368.85	£442.62	QMC303RAL	£461.04	£553.25
QMC305		828	18	929	3170	21.60	£525.67	£630.80	QMC305RAL	£598.47	£718.16
QMC306		1012	22	1135	3873	26.40	£626.44	£751.73	QMC306RAL	£716.07	£859.28
QMC307		1380	30	1548	5282	36.00	£833.66	£1,000.39	QMC307RAL	£956.85	£1,148.22
QMC314		1472	32	1651	5633	38.40	£889.67	£1,067.60	QMC314RAL	£1,112.08	£1,334.50
QMC312		1610	35	1806	6162	42.00	£962.46	£1,154.95	QMC312RAL	£1,203.07	£1,443.68
QMC308	600	552	12	730	2491	16.80	£380.07	£456.08	QMC308RAL	£537.16	£644.59
QMC309		828	18	1094	3733	25.20	£548.02	£657.62	QMC309RAL	£625.53	£750.64
QMC310		1012	22	1338	4565	30.80	£654.46	£785.35	QMC310RAL	£937.00	£1,124.40
QMC317		1196	26	1581	5394	36.40	£778.66	£934.39	QMC317RAL	£973.34	£1,168.01
QMC311		1380	30	1824	6223	42.00	£872.86	£1,047.43	QMC311RAL	£1,257.01	£1,508.41
QMC371	750	552	12	894	3050	20.40	£464.37	£557.24	QMC371RAL	£580.46	£696.55
QMC372		828	18	1341	4575	30.60	£658.21	£789.85	QMC372RAL	£822.75	£987.30
QMC373		1012	22	1639	5592	37.40	£780.98	£937.18	QMC373RAL	£976.23	£1,171.48
QMC374		1380	30	2235	7626	51.00	£1,052.41	£1,262.89	QMC374RAL	£1,315.46	£1,578.55
Forza Horizontal - 4 Column											
Product Code	Height (mm)	Width (mm)	Rows of Tubes	Watts	BTU/Hr	Weight (Kg)	List Price (Excl. VAT)	List Price (Inc. VAT)	Colour Code	Colour List Price (Excl. VAT)	Colour List Price (Inc. VAT)
QMC401	300	1012	22	931	3177	19.80	£720.75	£864.90	QMC401RAL	£900.94	£1,081.13
QMC402		1472	32	1354	4620	28.38	£1,032.08	£1,238.50	QMC402RAL	£1,290.08	£1,548.10
QMC403	600	552	12	973	3320	21.60	£430.47	£516.56	QMC403RAL	£538.10	£645.72
QMC404		828	18	1460	4982	32.40	£620.87	£745.04	QMC404RAL	£883.39	£1,060.07
QMC405		1012	22	1784	6087	39.60	£738.45	£886.14	QMC405RAL	£858.92	£1,030.70
QMC406		1380	30	2433	8301	54.00	£990.46	£1,188.55	QMC406RAL	£1,434.21	£1,721.05
QMC471	750	552	12	1200	4094	26.40	£522.50	£627.00	QMC471RAL	£653.16	£783.79
QMC472		828	18	1800	6142	39.60	£748.69	£898.43	QMC472RAL	£935.86	£1,123.03
QMC473		1012	22	2200	7506	48.40	£897.31	£1,076.77	QMC473RAL	£1,121.63	£1,345.96
QMC474		1380	30	3000	10236	66.00	£1,200.98	£1,441.18	QMC474RAL	£1,501.28	£1,801.54
Forza Vertical - 2 Column											
Product Code	Height (mm)	Width (mm)	Rows of Tubes	Watts	BTU/Hr	Weight (Kg)	List Price (Excl. VAT)	List Price (Inc. VAT)	Colour Code	Colour List Price (Excl. VAT)	Colour List Price (Inc. VAT)
QMC220	1800	598	13	1660	5664	33.80	£934.46	£1,121.35	QMC220RAL	£1,168.09	£1,401.71
QMC27	2000	322	7	996	3398	20.30	£548.02	£657.62	QMC27RAL	£685.06	£822.07
QMC28		414	9	1281	4371	26.10	£682.45	£818.94	QMC28RAL	£853.06	£1,023.67
QMC29		598	13	1850	6312	37.70	£968.06	£1,161.67	QMC29RAL	£1,210.07	£1,452.08
Forza Vertical - 3 Column											
Product Code	Height (mm)	Width (mm)	Rows of Tubes	Watts	BTU/Hr	Weight (Kg)	List Price (Excl. VAT)	List Price (Inc. VAT)	Colour Code	Colour List Price (Excl. VAT)	Colour List Price (Inc. VAT)
QMC323	2000	414	9	1743	5947	39.60	£839.35	£1,007.22	QMC323RAL	£1,049.18	£1,259.02
QMC325		598	13	2517	8588	57.20	£1,009.23	£1,211.08	QMC325RAL	£1,261.53	£1,513.84


Heat output shown at ΔT 50°C
Product codes in bold are available from stock.
Non bold product codes are available in a 6-8 week lead time.

Forza Horizontal - Water Content Per Section (L)

Type	Height			
	300mm	500mm	600mm	750mm
2 Column	-	0.60	0.70	-
3 Column	0.60	0.80	1.00	1.10
4 Column	0.80	-	1.20	1.50




Forza Horizontal Elevation




Forza Horizontal Section

Forza Vertical - Water Content Per Section (L)

Type	Height	
	1800mm	2000mm
2 Column	1.60	1.70
3 Column	-	2.60




Forza Vertical Elevation



Forza Vertical Section

Optional Forza Foot

Order code	Description	List Price (Excl. VAT)	List Price (Inc. VAT)
QMCF1	FORZA Foot 90-120 - white	£37.84	£45.41
QMCF1RAL	FORZA Foot 90-120 - coloured	£47.28	£56.74
QMCFC1	FORZA Foot cover - white	£9.44	£11.33



Feet are sold as single unit. Only available for radiators up to 500mm high. Indicate quantity at time of order.
Feet covered by a 2-year warranty.

Forza radiators are supplied with 1/2" BSP flow diverter to reduce "warm up" time when installed Bottom Opposite End (BOE). Cannot be installed Top Opposite End (TOE). For full width, add 26mm to the width of the radiator indicated in the pricing tables.

All Forza Radiators: Test Pressure: 13 bar Max Operating Pressure: 10 bar


PLAZA

Plaza is our contemporary tube-on-tube feature radiator. A vertical design perfect for any room, giving your home designer aesthetics without losing high-quality heat outputs.

- Available in two heights of **1800mm and 2000mm**
- Available in two widths of **525mm and 595mm**
- Available as **single or double** tubes

Features

- Durable powder coated in white RAL 9016 paint for a brighter, whiter finish
- Available in our 9 colours
- Full 10-year warranty
- Manufactured and tested to BS EN 442



Plaza vertical single in bronze



Plaza vertical single in white




Plaza single vertical in gun metal

Plaza - Single											
Product Code	Height (mm)	Width (mm)	Rows of Tubes	Watts	BTU/Hr	Weight (Kg)	List Price (Excl. VAT)	List Price (Inc. VAT)	Colour Code	Colour List Price (Excl. VAT)	Colour List Price (Inc. VAT)
QPLV12W	1800	525	15	1164	3973	21.30	£294.48	£353.38	QPLV12RAL	£368.06	£441.67
QPLV13W		595	17	1320	4503	24.14	£333.72	£400.46	QPLV13RAL	£417.14	£500.57
QPLV06W	2000	525	15	1249	4261	24.30	£306.64	£367.97	QPLV06RAL	£383.25	£459.90
QPLV03W		595	17	1415	4829	27.54	£347.50	£417.00	QPLV03RAL	£434.37	£521.24

Plaza - Double											
Product Code	Height (mm)	Width (mm)	Row of Tubes	Watts	BTU/Hr	Weight (Kg)	List Price (Excl. VAT)	List Price (Inc. VAT)	Colour Code	Colour List Price (Excl. VAT)	Colour List Price (Inc. VAT)
QPLV13WD	1800	595	17	1917	6540	45.39	£533.95	£640.74	QPLV13DRAL	£667.42	£800.90
QPLV03WD	2000	595	17	2085	7113	52.19	£556.02	£667.22	QPLV03DRAL	£695.03	£834.04

Heat output shown at ΔT 50°C
All Plaza are available in a 6-8 week lead time.



Plaza - Water Content Per Element /Tube (L)			
Type	Height (mm)		
	1800		2000
Single	0.57		0.61
Double	1.06		1.17

Note: the distance between the connection centres equals the length of radiator.

Plazas have a factory fitted centre baffle as standard in the bottom header, for Bottom Opposite End (BOE) installation only.
All tappings ½" BSP.

All Plaza Radiators: Test Pressure: 5.2 bar Max Operating Pressure: 4 bar



Plaza vertical double in silver

FLORES STRAIGHT & CURVED

A classic design manufactured using the latest technology.

The timeless Flores is ideal for any bathroom where you want understated elegance while maintaining maximum comfort. For those who want extra shine, the Flores is available in Chrome, in both the Straight and Curved models.

- Available in heights of **770mm, 1150mm, 1430mm and 1755mm**
- Available in two widths of **500mm and 600mm**

Features

- Available in white RAL 9016 or chrome
- Curved Chrome option available
- Full 10-year warranty
- Manufactured and tested to BS EN 442
- Can be converted to electric for use during winter months by adding a dual fuel heater kit.



Accessories



1. Dual fuel heater kit

Code: PCE450W

Price:

£149.74 (excl. VAT)

£179.69 (incl. VAT)

2. Various towel holders

For towel holder options see accessories page 76



Flores straight in chrome




Flores straight in white

Flores - Straight white								
Product Code	Height (mm)	Width (mm)	Watts	BTU/Hr	Weight (Kg)	volume (l)	List Price (Excl. VAT)	List Price (Inc. VAT)
FLO0805	770	500	362	1235	7.00	3.54	£248.36	£298.03
FLO0806		600	426	1454	7.70	4.04	£261.73	£314.08
FLO1205	1150	500	528	1802	10.10	5.20	£302.31	£362.77
FLO1206		600	621	2119	11.30	5.92	£322.37	£386.84
FLO1506	1430	600	764	2607	14.00	7.30	£367.17	£440.60
FLO1806	1755	600	931	3177	17.53	8.84	£424.87	£509.84


Flores CH - Straight chrome								
Product Code	Height (mm)	Width (mm)	Watts	BTU/Hr	Weight (Kg)	volume (l)	List Price (Excl. VAT)	List Price (Inc. VAT)
FLO0805CH	770	500	258	880	7.00	3.54	£301.03	£361.24
FLO0806CH		600	296	1010	8.08	4.04	£316.82	£380.18
FLO1205CH	1150	500	354	1208	10.10	5.20	£368.25	£441.90
FLO1206CH		600	423	1443	11.30	5.92	£391.01	£469.21
FLO1506CH	1430	600	508	1733	14.00	7.30	£483.19	£579.83
FLO1806CH	1755	600	635	2167	16.90	8.84	£603.42	£724.10

Flores C CH - Curved chrome								
Product Code	Height (mm)	Width (mm)	Watts	BTU/Hr	Weight (Kg)	volume (l)	List Price (Excl. VAT)	List Price (Inc. VAT)
FLC0805CH	770	500	258	880	7.00	3.58	£315.20	£378.24
FLC0806CH		600	296	1010	8.09	4.08	£329.09	£394.91
FLC1205CH	1150	500	354	1208	9.40	5.25	£383.29	£459.95
FLC1206CH		600	423	1443	11.87	5.96	£403.40	£484.08
FLC1506CH	1430	600	508	1733	14.00	7.34	£497.50	£597.00
FLC1806CH	1755	600	635	2167	16.90	8.89	£619.18	£743.02


Heat output shown at ΔT 50°C
Product codes in Bold are available from stock.




Flores straight




A = width -45mm
B = height
C = width



Flores curved



A = width -45mm
B = height
C = width



- Supply and return can be switched left / right
- Diameter connections: supply & return \varnothing 1/2" (15/21)
- Max. working temperature: 110°C

3 adjustable brackets are supplied with the Flores Straight and 4 adjustable brackets are supplied with the Flores Curved.
All tappings 1/2" BSP.

All Flores Radiators:

Test Pressure: 9.6 bar

Max Operating Pressure: 7.4 bar



Flores curved in chrome


PEARL

Pearl is a towel radiator designed to make a statement. Its unusual flat horizontal tubes provide a wider drying surface and deliver excellent heat outputs. The ideal complement to the modern bathroom.

- Available in three heights from **770mm to 1785mm**
- Available in two widths **500mm and 600mm**

Features

- Can be converted to electric for use during warmer months by adding an electric element
- Durable powder coated in white RAL 9016 paint for a brighter, whiter finish
- Available in our 9 colours
- Manufactured and tested to BS EN 442
- Full 5-year warranty



Pearl in bronze



Pearl in white







Pearl in black quartz

Pearl										
Product Code	Height (mm)	Width (mm)	Watts	BTU/Hr	Weight (Kg)	List Price (Excl. VAT)	List Price (Inc. VAT)	Colour Code	Colour List Price (Excl. VAT)	Colour List Price (Inc. VAT)
QRT1	770	500	434	1481	9.30	£295.55	£354.66	QRT1RAL	£369.45	£443.34
QRT2		600	504	1720	10.70	£299.83	£359.80	QRT2RAL	£374.80	£449.76
QRT5	1155	500	628	2143	13.80	£368.64	£442.37	QRT5RAL	£460.79	£552.95
QRT6		600	733	2501	16.00	£372.63	£447.16	QRT6RAL	£465.83	£559.00
QRT9	1785	500	1005	3429	22.00	£440.74	£528.89	QRT9RAL	£550.94	£661.13
QRT10		600	1172	3999	25.60	£448.79	£538.55	QRT10RAL	£560.94	£673.13

Heat output shown at ΔT 50°C
Product codes in bold are available from stock.
Non bold product codes are available in a 6-8 week lead time.



Pearl in white



Pearl - Optional Electric Element			
Towel rail height	800mm high or less	1200mm high or less	1800mm high or less
Non-thermostatic	200W	300W / 400W	600W
Thermostatic	150W	300W	600W

All Pearl Radiators: Test Pressure: 5.2 bar Max Operating Pressure: 4 bar

TOPAZ

Topaz is a premium quality, towel radiator – that offers warmth. This great all-rounder comes in a choice of sizes and colours, to suit any bathroom.

- Available in two heights **1190mm and 1785mm**
- Available in two widths **500mm and 600mm**
- Available in **single or double row(s)** for maximum warmth

Features

- Can be converted to electric for use during warmer months by adding an electric element
- Durable powder coated in white RAL 9016 paint for a brighter, whiter finish
- Available in our 9 colours
 - Double range only available in white (RAL 9016)
- Full 5-year warranty
- Manufactured and tested to BS EN 442



Topaz single in silver



Topaz single in white




Topaz single in gun metal


Topaz – Single										
Product Code	Height (mm)	Width (mm)	Watts	BTU/Hr	Weight (Kg)	List Price (Excl. VAT)	List Price (Inc. VAT)	Colour Code	Colour List Price (Excl. VAT)	Colour List Price (Inc. VAT)
QRC5	1190	500	636	2170	14.01	£368.64	£442.37	QRC5RAL	£460.79	£552.95
QRC6		600	725	2474	15.70	£372.63	£447.16	QRC6RAL	£465.83	£559.00

Topaz – Double							
Product Code	Height (mm)	Width (mm)	Watts	BTU/Hr	Weight (Kg)	List Price (Excl. VAT)	List Price (Inc. VAT)
QRC10D	1785	600	1574	5370	41.86	£596.21	£715.45


Heat output shown at ΔT 50°C
All Topaz are available in a 6-8 week lead time.




Topaz single in white




Topaz 1190 High




Topaz 1785 High




Topaz Elevation



Topaz Double Plan



Topaz Single Section



Topaz Double Section

Topaz - Water Content (L)			
Type	Height (mm)	Width (mm)	Water content (L)
Single	1190	500	5.71
Single	1190	600	6.65
Double	1785	600	19.54

Topaz - Optional Electric Element			
Towel rail height	800mm high or less	1200mm high or less	1800mm high or less
Non-thermostatic	200W	300W / 400W	600W
Thermostatic	150W	300W	600W

2 x 1/2" BSP tapings. All electric elements to be ordered separately

All Topaz Radiators: Test Pressure: 5.2 bar Max Operating Pressure: 4 bar

CRYSTAL

Crystal is a high performing tube-in-tube towel warmer, offering a choice of straight or curved tubes, in both white or chrome, ensuring this range caters to all tastes and decors.

- Available in three heights **690mm, 1230mm and 1703mm**
- Available in two widths **450mm and 600mm**

Features


- Can be converted to electric for use during warmer months by adding an electric element
- Available in straight and curved options
- Available in a white or chrome finish
- Full 5-year warranty



Crystal straight in chrome

Crystal Straight - White							
Product Code	Height (mm)	Width (mm)	Watts	BTU/Hr	Weight (Kg)	List Price (Excl. VAT)	List Price (Inc. VAT)
QRK2	690	600	386	1317	6.20	£97.70	£117.24
QRK5	1230	450	522	1781	10.10	£119.90	£143.88
QRK6		600	669	2283	11.30	£127.69	£153.23
QRK10	1703	600	940	3207	15.40	£174.15	£208.98
Crystal Straight - Chrome							
Product Code	Height (mm)	Width (mm)	Watts	BTU/Hr	Weight (Kg)	List Price (Excl. VAT)	List Price (Inc. VAT)
QRKZ1	690	450	195	665	5.10	£116.28	£139.54
QRKZ2		600	251	856	6.20	£127.11	£152.53
QRKZ5	1230	450	356	1215	10.10	£154.00	£184.80
QRKZ6		600	464	1583	11.30	£171.59	£205.91
QRKZ10	1703	600	644	2197	15.40	£241.33	£289.60
Crystal Curved - Chrome							
Product Code	Height (mm)	Width (mm)	Watts	BTU/Hr	Weight (Kg)	List Price (Excl. VAT)	List Price (Inc. VAT)
QRKCZ5	1230	450	356	1215	10.10	£162.27	£194.72
QRKCZ6		600	464	1583	11.30	£180.39	£216.47
QRKCZ10	1703	600	644	2197	15.40	£243.43	£292.12

Heat output shown at ΔT 50°C. Product codes in bold are available from stock.



Crystal Straight					
Radiator height (mm)	690	690	1230	1230	1703
Radiator width (mm)	450	600	450	600	600
Water content	2.90	3.60	5.60	6.80	9.00
Crystal Curved					
Radiator height (mm)	1230	1230	1703		
Radiator width (mm)	450	600	600		
Water content	5.60	6.80	9.00		
Crystal Curved and Straight - Connection Centres (W1)			Crystal - Optional Electric Elements		
Radiator width (mm)	450	600	Towel rail height	< 800mm high	< 1200mm high
Curved W1 (mm)*	86 up to 101	92 up to 107	Non-thermostatic	200W	300W / 400W
Straight W1 (mm)*	75 up to 90	75 up to 90	Thermostatic	150W	300W
					< 1800mm high
					600W
					600W

2 x 1/2" BSP Tappings. All electric elements to be ordered separately

All Crystal Radiators: Test Pressure: 13 bar Max Operating Pressure: 10 bar

ADRIANA

Adriana is an electric towel warmer designed for the modern home. A stainless-steel design with straight, horizontal bars, Adriana is available in several sizes, making it perfect for your home.

- Available in two heights **720mm and 1000mm**
- Available in four widths from **300mm to 600mm**

Features


- Polished stainless-steel finish only
- On/off switch functionality
- Full 2-year warranty



Adriana in polished stainless steel

Adriana - Chrome							
Product Code	Height (mm)	Width (mm)	Watts	BTU/Hr	Weight (Kg)	List Price (Excl. VAT)	List Price (Inc. VAT)
BLG1-4	720	400	48	164	3.50	£265.56	£318.67
BLG1-5		500	58	198	4.00	£292.49	£350.99
BLG1-6		600	65	222	5.00	£337.36	£404.83
BLG1-310	1000	300	45	154	4.00	£285.70	£342.84
BLG1-410		400	60	205	4.50	£325.49	£390.59
BLG1-510		500	75	256	5.00	£351.74	£422.09
BLG1-610		600	90	306	5.50	£391.53	£469.84

Heat output shown at ΔT 50°C
All Adriana are available in a 6-8 week lead time.



The Adriana is supplied with a power cable 800mm long. Rated IPX4 for use in zone 2.

Electrical Elements

Towel Warmer Options - Electrical Elements



















The Topaz, Pearl and Crystal can be fitted with an electrical element which allows you to use the rail as an electric towel warmer in the summer when the central heating is off. With their lower energy requirement towel warmers are efficient, economical and provide flexibility, convenience and comfort at little added cost. Thermostatic elements provide an adjustable temperature control when required. All electric elements are covered by a 2-year warranty.

Order Code	Thermostatic Electrical Elements	Colour	List Price (Excl. VAT)	List Price (Inc. VAT)
QTEE15C	Vertical Thermostatic Electrical Elements 150W/230V 300mm	Chrome	£168.27	£201.92
QTEE30C	Vertical Thermostatic Electrical Elements 300W/230V 340mm	Chrome	£171.53	£205.84
QTEE60C	Vertical Thermostatic Electrical Elements 600W/230V 390mm	Chrome	£181.30	£217.56

Order Code	Electrical Elements	Length (mm)	List Price (Excl. VAT)	List Price (Inc. VAT)
EE002	Electrical Element 200W	350	£42.21	£50.65
EE003	Electrical Element 300W	350	£43.60	£52.32
EE004	Electrical Element 400W	415	£44.70	£53.64
EE005	Electrical Element 600W	450	£46.91	£56.29

Product codes in bold are available from stock.

Accessories

Valves					
Order Code		Description	Details	List Price (Excl. VAT)	List Price (Inc. VAT)
	C060	Two-pipe valve set straight* Compatible with Compla Vertical and Ligna Vertical	White	£117.92	£141.50
	C061	Two-pipe valve set straight* Compatible with Compla Vertical and Ligna Vertical	Chrome	£139.61	£167.53
	C062	Two-pipe valve set angle* Compatible with Compla Vertical and Ligna Vertical	White	£117.92	£141.50
	C063	Two-pipe valve set angle* Compatible with Compla Vertical and Ligna Vertical	Chrome	£139.61	£167.53
	V15P	Nut and olive pack	-	£7.70	£9.24
	2TRVPURPK	Radiator pack Compatible with Compact, Compla, Compla Vertical, Ligna and Ligna Vertical	-	£26.17	£31.40
Brackets					
Order Code		Description	Details	List Price (Excl. VAT)	List Price (Inc. VAT)
	RH033	Universal floor fixing bracket Compatible with Compact, Compla Horizontal and Ligna Horizontal	-	£40.78	£48.94
	RH034	Cover Plate for the Universal floor fixing bracket	-	£4.69	£5.63
	RH035	Cover Sleeve for the Universal floor fixing bracket	-	£4.69	£5.63
Accessories					
Order Code		Description	Details	List Price (Excl. VAT)	List Price (Inc. VAT)
	589450 589500 589600 589750 589900 5891050	Compact towel bar Compatible with Compact	450mm 500mm 600mm 750mm 900mm 1050mm	£37.60 £37.60 £37.60 £37.60 £38.83 £38.84	£45.12 £45.12 £45.12 £45.12 £46.60 £46.61
	VRTRAILBR300 VRTRAILBR450 VRTRAILBR600 VRTRAILBR750	Towel bar Compatible with Compla Vertical and Ligna Vertical	300mm 450mm 600mm 750mm	£241.56 £241.56 £252.51 £263.39	£289.87 £289.87 £303.01 £316.07
	PATVRBL PATVRCH	V-knob - per pair Compatible with Flores	White Chrome	£19.04 £19.04	£22.85 £22.85
	ANORBL ANORCH	Towel ring Compatible with Flores	White Chrome	£49.77 £49.77	£59.72 £59.72
	PATRBL PATRCH	Round knobs - per pair Compatible with Flores	White Chrome	£19.04 £19.04	£22.85 £22.85
	GRILLBL GRILLCH	Grill Compatible with 600mm wide Flores ONLY	White Chrome	£103.92 £103.92	£124.70 £124.70
	BARR4OBL BARR4OCH	Towel bar - straight Compatible with 500mm wide Flores (bar length 370mm)	White Chrome	£39.53 £39.53	£47.44 £47.44
	BARR5OBL BARR5OCH	Towel bar - straight Compatible with 600mm wide Flores (bar length 470mm)	White Chrome	£45.37 £45.37	£54.44 £54.44
	BARR4OCBL BARR4OCH	Towel bar - curved Compatible with 500mm wide Flores (bar length 370mm)	White Chrome	£43.91 £43.91	£52.69 £52.69
	BARR5OCBL BARR5OCH	Towel bar - curved Compatible with 600mm wide Flores (bar length 470mm)	White Chrome	£49.77 £49.77	£59.72 £59.72
	PCE450W	Dual fuel heater kit Compatible with Flores	Chrome	£149.74	£179.69

*Must be ordered with a 15mm nut and olive pack (V15P). Product codes in bold are available from stock.

Accessories				
Order Code	Description	Details	List Price (Excl. VAT)	List Price (Inc. VAT)
TOUCHANTH	Touch Up Paint Pen Anthracite	Anthracite	£42.21	£50.65
TOUCHSILVER	Touch Up Paint Pen Silver	Silver	£42.21	£50.65
TOUCHGUNMET	Touch Up Paint Pen Gun Metal	Gun Metal	£42.21	£50.65
TOUCHBRONZE	Touch Up Paint Pen Bronze	Bronze	£42.21	£50.65
TOUCHCHAMP	Touch Up Paint Pen Champagne	Champagne	£42.21	£50.65
TOUCHBLKQUARTZ	Touch Up Paint Pen Black Quartz	Black Quartz	£42.21	£50.65
TOUCHCOPPER	Touch Up Paint Pen Copper	Copper	£42.21	£50.65
TOUCHMATTCHAR	Touch Up Paint Pen Matt Charcoal	Matt Charcoal	£42.21	£50.65
TOUCHMATTIRONOX	Touch Up Paint Pen Matt Iron Oxide	Matt Iron Oxide	£42.21	£50.65
TOUCHTEXTWHITE	Touch Up Paint Pen Textured White	Textured White	£42.21	£50.65

Product codes in bold are available from stock.

UNDERFLOOR HEATING

Why underfloor heating?

Comfort Delivered

Heat is provided from the floor up providing optimum comfort conditions.

Effective Heating

The majority of the output is radiant, which is very effective even at slightly lower temperatures.

System Efficiency

A reduction in air movement results in efficiently heating the space we live in rather than having high temperatures above head height.

Temperature Control

Greater temperature accuracy can be achieved due to having individual thermostats controlling each room.


Design Freedom

Underfloor heating turns the floor area into a heat emitter therefore giving complete design freedom of wall space.



FIXING SYSTEMS

Purmo offer a range of fixing systems that are ideal for smaller areas, extensions or even refurbishments.



Applications	Clips	Cliprail	Low Profile	Plated	Cement Board
Solid Floor	•	•	•		•
Suspended Floor			•	•	•
Renovations			•	•	•

Specifications	Clips	Cliprail	Low Profile	Plated	Cement Board
Features and Benefits	Cost effective fixing method Quick & easy to install	Perfect for large open areas Built in barbs reduce install time	Versatile and thin depth Fast reacting system	Highly conductive system for joisted floor applications	Minimal floor lift Fast response dry system
Pipe	16 mm	16 mm	12 mm	16 mm	12 mm
Spacings	150/200/250 mm	150/200 mm	100/150 mm	150/200 mm	150 mm
Pattern	Spiral or Serpentine	Serpentine	Spiral or Serpentine	Serpentine	Serpentine

Fixing System			
Order Code	Description	List Price (Excl. VAT)	List Price (Inc. VAT)
80807PUR	PURMO 40mm U-Clips - Box 300	£21.20	£25.44
80808PUR	PURMO 50mm U-Clips - Box 250	£21.20	£25.44
80809PUR	PURMO Cliprail 1M - With Double Barb	£2.82	£3.38
80801PUR	PURMO Joist Plate 200mm Centres	£12.84	£15.41
80802PUR	PURMO Joist Plate 150mm Centres	£12.84	£15.41
80803PUR	PURMO Straight Cement Panel 1200 x 600mm	£47.40	£56.88
80804PUR	PURMO End Cement Panel 600 x 600mm	£28.57	£34.28
80805PUR	PURMO Low Profile Panel 1000 x 600mm	£15.56	£18.67

Product codes in bold are available from stock.

PIPES, MANIFOLDS & WIRING CENTRES

Purmo offer a range of easy to install pipes, manifolds and wiring centres.



Year warranty



Underfloor Heating Pipe

Diameter	Pipe Type	Coil Sizes	Wall Thickness
12 mm	Pert	100 m, 240 m	2 mm
16 mm	Pert	100 m, 240 m, 500 m	2 mm

Pipes			
Order Code	Description	List Price (Excl. VAT)	List Price (Inc. VAT)
50501PUR	PURMO 16mm x 2 Pert Pipe - 100m Coil	£143.14	£171.77
50502PUR	PURMO 16mm x 2 Pert Pipe - 240m Coil	£343.54	£412.25
50503PUR	PURMO 16mm x 2 Pert Pipe - 500m Coil	£715.70	£858.84
50509PUR	PURMO 12mm x 2 Pert - 100m Coil	£122.16	£146.59
50510PUR	PURMO 12mm x 2 Pert - 240m Coil	£292.44	£350.93

Underfloor Manifold & Control Centre

Features and Benefits

- 4 & 8 way channel wiring centres available
- LED status indicators



Wiring Centres			
Order Code	Description	List Price (Excl. VAT)	List Price (Inc. VAT)
60601PUR	PURMO 230V 4 Way Wiring Centre	£91.08	£109.30
60603PUR	PURMO 230V 8 Way Wiring Centre	£120.08	£144.10

Product codes in bold are available from stock.

Underfloor Manifold & Control Centre

Features and Benefits

- Pre-assembled stainless steel manifold
- Range includes 2-12 ports
- Easy to use flow meters with locking facility for easy removal and cleaning
- Supplied with automatic air vent & pressure gauge



Manifolds			
Order Code	Description	List Price (Excl. VAT)	List Price (Inc. VAT)
20202PUR	PURMO 2 Port Manifold c/w FM	£137.61	£165.13
20203PUR	PURMO 3 Port Manifold c/w FM	£161.90	£194.28
20204PUR	PURMO 4 Port Manifold c/w FM	£186.19	£223.43
20205PUR	PURMO 5 Port Manifold c/w FM	£210.47	£252.56
20206PUR	PURMO 6 Port Manifold c/w FM	£231.62	£277.94
20207PUR	PURMO 7 Port Manifold c/w FM	£259.05	£310.86
20208PUR	PURMO 8 Port Manifold c/w FM	£283.33	£340.00
20209PUR	PURMO 9 Port Manifold c/w FM	£315.70	£378.84
20210PUR	PURMO 10 Port Manifold c/w FM	£342.69	£411.23
20211PUR	PURMO 11 Port Manifold c/w FM	£365.89	£439.07
20212PUR	PURMO 12 Port Manifold c/w FM	£403.40	£484.08

Pump Packs				
Order Code	Description	Details	List Price (Excl. VAT)	List Price (Inc. VAT)
60610PUR	PURMO Wilo Pump Pack	-	£422.29	£506.75

Product codes in bold are available from stock.




CONTROLS

Purmo offer a range of thermostats, from dial to touch screen.



Year warranty



240v



Features and Benefits



Dial Thermostat	Digital Timer	Digital Thermostat	Clever Thermostat *
Easy to use thermostat	Used with the Dial Thermostat for timed control	Touch screen	Touch sensitive controls
LED demand indicator	Back-lit display	Programmable thermostat	WiFi Enabled with no requirement for a hub
Surface mounted	6 program settings	7 day, 5/2, or 24 modes	Purmo branded App compatible with Google play, IOS, Android & Amazon platforms
Night set back operation	Suitable with standard 35 mm single gang back box	Optimum Start	Geo-location feature
		Frost protection	Programmable thermostat
		Display can be constant or auto reduced	7 day, 5/2, or 24 modes
		Remote air / floor sensor options	Optimum Start
			Frost protection
			Display can be constant or auto reduced
			Remote air / floor sensor options
			Available in black or white colour

Controls			
Order Code	Description	List Price (Excl. VAT)	List Price (Inc. VAT)
60602PUR	PURMO 230V Actuator Head	£22.91	£27.49
60604PUR	PURMO 230V Electronic Dial Thermostat with LED & NSB	£29.27	£35.12
60605PUR	PURMO 230V Programmable Wifi Thermostat - Black	£121.29	£145.55
60606PUR	PURMO 230V Programmable Wifi Thermostat - White	£121.29	£145.55
60607PUR	PURMO CS-17 Programmable Thermostat	£65.26	£78.31
60608PUR	PURMO CS-11 Time Clock	£55.93	£67.12
60609PUR	PURMO High Temperature Thermostat 40-70C	£70.16	£84.19

Underfloor Heating Accessories

UFH Accessories				
Order Code	Description	Details	List Price (Excl. VAT)	List Price (Inc. VAT)
90904PUR	PURMO Pr 1" Ball Valves	-	£29.68	£35.62
90905PUR	PURMO 12mm Pipe Bend Supports	-	£1.35	£1.62
90906PUR	PURMO 14-18mm Pipe Bend Supports	-	£1.89	£2.27
90907PUR	PURMO Swivel Adapter	-	£21.59	£25.91
90908PUR	PURMO Eccentric Adapter	-	£80.96	£97.15
90909PUR	PURMO Edge Insulation 30m Roll	-	£29.16	£34.99
90913PUR	Blanking Cap	-	£2.54	£3.05

UFH Adapters				
Order Code	Description	Details	List Price (Excl. VAT)	List Price (Inc. VAT)
90901PUR	PURMO 16mm Manifold Adapter	-	£4.05	£4.86
90902PUR	PURMO Male to Male 24 x 9 Central Core	-	£5.54	£6.65
90903PUR	PURMO 12mm Manifold Adapter	-	£4.05	£4.86

UFH Tools				
Order Code	Description	Details	List Price (Excl. VAT)	List Price (Inc. VAT)
90911PUR	PURMO Staple Gun	-	£289.64	£347.57
90912PUR	PURMO Decoiler	-	£309.09	£370.91

Product codes in bold are available from stock.

UNDERFLOOR HEATING ROOM PACKS

Purmo Underfloor Heating Room Packs are based on a clip fixing method, suitable for solid floors.

- Range of pack sizes including: **20, 40, 60, 80, 100, 120m²**

Features and Benefits

- Same quality system components
- Our top of the range Clever Thermostat (WiFi)
- Pre-assembled stainless steel manifold & pump pack
- 40 mm clips and 16 mm pipe
- Conveniently delivered to Merchant branch or direct to site



SAVE UP TO
30%
via Packs



Pump Packs				
Order Code	Description	Details	List Price (Excl. VAT)	List Price (Inc. VAT)
PURMOSTAPLE20	PURMO Single Area Pack - Staple	20sqm	£784.58	£941.50
PURMOSTAPLE40		40sqm	£971.76	£1,166.11
PURMOSTAPLE60		60sqm	£1,175.83	£1,411.00
PURMOSTAPLE80		80sqm	£1,390.13	£1,668.16
PURMOSTAPLE100		100sqm	£1,604.43	£1,925.32
PURMOSTAPLE120		120sqm	£1,839.66	£2,207.59

Product codes in bold are available from stock.

General specification

Material & Finish

Our radiators are manufactured from high quality steel, and are finished with Epoxy Polyester powder paint. Every radiator undergoes an intensive pre-treatment process to protect against rust.

Quality

Our radiators are manufactured to ISO9001 Standards, achieving EN442 compliance and every product undergoes rigorous testing and quality control before they leave our factory.

Packaging

Our radiators are supplied either in a heavy-duty reinforced cardboard box or wrapped in heavy duty polythene with top and bottom polystyrene box ends.

Safety Precautions

Radiators are hot when in use, and as such, present a risk of burns to users on prolonged contact. The temperature of a radiator is dependent on the temperature of the system water, as set by the system installer or user. Installers and users should ensure that those who may come into close

proximity to hot radiators are aware of the risk of burns. Installers and users should take all necessary steps to minimise the risks of burns.

If the risk is significant, consideration should be given to installing low surface temperature radiators, or to placing guards in front of the radiators.

Fixings

For the correct installation of radiators it is essential that the fixing of the radiator is carried out in such a way that it is suitable for intended use AND predictable misuse. A number of elements need to be taken into consideration including the fixing method used to secure the radiator to the wall, the type and condition of the wall itself, and any additional potential forces or weights that may happen to be applied to the radiator, prior to finalising installation.

IN ALL CASES IT IS STRONGLY RECOMMENDED THAT A SUITABLY QUALIFIED PROFESSIONAL INSTALLER OR SIMILAR TRADESPERSON CARRIES OUT THE INSTALLATION.

PLEASE NOTE: The fixing materials provided are only intended for installation on walls made of solid wood, bricks, concrete or on timber-frame stud walls where the fixing is into the timber. All walls being considered should have no more than a maximum of 3mm wall.

finishing. For walls made of other materials, for example hollow bricks, please consult your installer and/or specialist supplier.

ONCE AGAIN, IF YOU ARE UNSURE, IT IS STRONGLY RECOMMENDED THAT A SUITABLY QUALIFIED PROFESSIONAL INSTALLER OR SIMILAR TRADESPERSON CARRIES OUT THE INSTALLATION.

Application

Most PURMO products are for use on 2 pipe pumped indirect domestic and commercial central heating installations, with a maximum working temperature of 100°C. The system should be designed in accordance with BS EN 12828:2003 or BS EN 12831: 2003 as appropriate, with particular care taken to avoid air entry or water discharge.

We do not recommend the use of single feed indirect cylinders, as the possibility of aeration due to water interchange may lead to corrosion. The installation work must be carried out in accordance with recognised good practice, and precautions taken to avoid contamination which could lead to corrosion.

If a corrosion inhibitor or other water treatment is to be used, the Manufacturer's Instructions must be strictly followed.

The recommendations of BS 7593, Code of Practice for treatment of water in domestic hot water central heating systems, should be followed where appropriate.

When fitting any heat emitter in an extremely high humidity environment (for example a swimming pool area or sports changing facility) products manufactured from steel should be avoided.



01.07.2022

PURMO

Purmo Group (UK) Ltd
Eastern Avenue, Team Valley
Gateshead, Tyne & Wear
NE11 0PG
+44 (0)845 402 34 34
generalenquiries.uk@purmogroup.co.uk
www.purmo.co.uk

