

AGA-KONVEKTORER



KZ 5

Varmförzinkad

Bredd 50 mm

 Δt 50°

Inbygg- nadsmått mm	H	200	250	300	400	500	600	700	800	900	1000	1200	Övriga data		
	F	—	50	50	50	50	50	50	50	60	60	60	Vikt kg	Volym lit.	Yta m²
	S	130	130	180	280	380	480	580	680	770	870	1070			
	G	70	70	70	70	70	70	70	70	70	70	70			
Beteckning	L	Värmeavgivning kcal/h för vatten 80/60°, luft 20° C													
KZ 5- 50	500	115	100	125	152	175	190	205	215	225	230	240	4,50	0,560	0,72
KZ 5- 60	600	145	125	155	190	215	235	255	265	280	285	295	5,35	0,607	0,89
KZ 5- 70	700	170	150	185	225	260	280	305	315	330	340	355	6,20	0,654	1,06
KZ 5- 80	800	200	170	215	265	300	330	350	370	385	395	410	7,05	0,701	1,23
KZ 5- 90	900	225	195	245	300	345	375	400	420	435	450	470	7,90	0,748	1,40
KZ 5-100	1000	255	220	275	335	385	420	450	470	490	505	525	8,75	0,795	1,57
KZ 5-110	1100	285	245	305	375	425	465	500	520	545	560	580	9,60	0,842	1,74
KZ 5-120	1200	310	270	335	410	470	510	550	570	595	615	640	10,45	0,889	1,91
KZ 5-130	1300	340	290	365	450	510	560	595	625	650	670	695	11,30	0,936	2,08
KZ 5-140	1400	365	315	395	485	555	605	645	675	700	725	755	12,15	0,983	2,25
KZ 5-150	1500	395	340	425	520	595	650	695	725	755	780	810	13,00	1,030	2,42
KZ 5-160	1600	425	365	455	560	635	695	745	775	810	835	865	13,85	1,077	2,59
KZ 5-170	1700	450	390	485	595	680	740	795	825	860	890	925	14,70	1,124	2,76
KZ 5-180	1800	480	410	515	635	720	790	840	880	915	945	980	15,00	1,171	2,93
KZ 5-190	1900	505	435	545	670	765	835	890	930	965	1000	1040	16,00	1,218	3,10
KZ 5-200	2000	535	460	575	705	805	880	940	980	1020	1055	1095	17,00	1,265	3,27
KZ 5-210	2100	565	485	605	745	845	925	990	1030	1075	1110	1150	18,00	1,312	3,44
KZ 5-220	2200	590	510	635	780	890	970	1040	1080	1125	1165	1210	18,00	1,359	3,61
KZ 5-230	2300	620	530	665	820	930	1020	1085	1135	1180	1220	1265	19,00	1,406	3,78
KZ 5-240	2400	645	555	695	855	975	1065	1135	1185	1230	1275	1325	20,00	1,453	3,95
KZ 5-250	2500	675	580	725	890	1015	1110	1185	1225	1285	1330	1380	21,00	1,500	4,12
KZ 5-260	2600	705	605	755	930	1055	1155	1235	1285	1340	1385	1435	22,00	1,547	4,29
KZ 5-270	2700	730	630	785	965	1100	1200	1285	1335	1390	1440	1495	23,00	1,594	4,46
KZ 5-280	2800	760	650	815	1005	1140	1250	1330	1390	1445	1495	1550	24,00	1,641	4,63
KZ 5-290	2900	785	675	845	1040	1185	1295	1380	1440	1495	1550	1610	24,00	1,688	4,80
KZ 5-300	3000	815	700	875	1075	1225	1340	1430	1490	1550	1605	1665	25,00	1,735	4,97
KZ 5-310	3100	845	725	905	1115	1265	1385	1480	1540	1605	1660	1720	26,00	1,782	5,14
KZ 5-320	3200	870	750	935	1150	1310	1430	1530	1590	1655	1715	1780	27,00	1,829	5,31
KZ 5-330	3300	900	770	965	1190	1350	1480	1575	1645	1710	1770	1835	28,00	1,876	5,48
KZ 5-340	3400	925	795	995	1225	1395	1525	1625	1695	1760	1825	1895	29,00	1,923	5,65
KZ 5-350	3500	955	820	1025	1260	1435	1570	1675	1745	1815	1880	1950	30,00	1,970	5,82
KZ 5-360	3600	985	845	1055	1300	1475	1615	1725	1795	1870	1935	2005	30,00	2,017	5,99
KZ 5-370	3700	1010	870	1085	1335	1520	1660	1775	1845	1920	1990	2065	31,00	2,064	6,16
KZ 5-380	3800	1040	890	1115	1375	1560	1710	1820	1900	1975	2045	2120	32,00	2,111	6,33
KZ 5-390	3900	1065	915	1145	1410	1605	1755	1870	1950	2025	2100	2180	33,00	2,158	6,50
KZ 5-400	4000	1095	940	1175	1445	1645	1800	1920	2000	2080	2155	2235	34,00	2,205	6,67
KZ 5-410	4100	1125	965	1205	1485	1685	1845	1970	2050	2135	2210	2290	35,00	2,252	6,84
KZ 5-420	4200	1150	990	1235	1520	1730	1890	2020	2100	2185	2265	2350	35,00	2,299	7,01
KZ 5-430	4300	1180	1010	1265	1560	1770	1940	2065	2155	2240	2320	2405	36,00	2,346	7,18
KZ 5-440	4400	1205	1035	1295	1595	1815	1985	2115	2205	2290	2375	2465	37,00	2,393	7,35
KZ 5-450	4500	1235	1060	1325	1630	1855	2030	2165	2255	2345	2430	2520	38,00	2,440	7,52
KZ 5-460	4600	1265	1085	1355	1670	1895	2075	2215	2305	2400	2485	2575	39,00	2,487	7,69
KZ 5-470	4700	1290	1110	1385	1705	1940	2120	2265	2355	2450	2540	2635	40,00	2,534	7,86
KZ 5-480	4800	1320	1130	1415	1745	1980	2170	2310	2410	2505	2595	2690	41,00	2,581	8,03
KZ 5-490	4900	1345	1155	1445	1780	2025	2215	2360	2460	2555	2650	2750	41,00	2,628	8,20
KZ 5-500	5000	1375	1180	1475	1815	2065	2260	2410	2510	2610	2705	2805	42,00	2,675	8,37
För var 100 mm		28	24	30	37	42	46	49	51	53	55	57	0,85	0,047	0,17



AGA-KONVEKTORER


KZ 10

Varmförzinkad

Bredd 100 mm

 Δt 50°

Inbygg- nadsmått mm	H	200	250	300	400	500	600	700	800	900	1000	1200	Övriga data		
	F	—	60	70	70	70	70	80	80	80	90	90	Vikt kg	Volym lit.	Yta m²
	S	120	110	150	250	350	450	530	630	730	810	1010			
	G	80	80	80	80	80	80	90	90	90	100	100			
Bereckning	L	Värmeavgivning kcal/h för vatten 80/60°, luft 20° C													
KZ 10- 50	500	205	170	220	270	310	340	365	380	390	400	415	8,00	1,150	1,34
KZ 10- 60	600	255	210	270	335	385	420	450	470	485	495	515	9,60	1,244	1,66
KZ 10- 70	700	305	250	325	400	460	500	540	560	580	595	615	11,20	1,338	1,98
KZ 10- 80	800	350	295	375	465	530	585	625	650	670	690	720	12,80	1,432	2,30
KZ 10- 90	900	400	335	430	530	605	665	715	740	765	790	820	14,00	1,526	2,62
KZ 10-100	1000	450	375	480	595	680	745	800	830	860	885	920	16,00	1,620	2,94
KZ 10-110	1100	500	415	530	660	755	825	885	920	955	980	1020	17,00	1,714	3,26
KZ 10-120	1200	550	455	585	725	830	905	975	1010	1050	1080	1120	19,00	1,808	3,58
KZ 10-130	1300	595	500	635	790	900	990	1060	1100	1140	1175	1225	20,00	1,902	3,90
KZ 10-140	1400	645	540	690	855	975	1070	1150	1190	1235	1275	1325	22,00	1,996	4,22
KZ 10-150	1500	695	580	740	920	1050	1150	1235	1280	1330	1370	1425	24,00	2,090	4,54
KZ 10-160	1600	745	620	790	985	1125	1230	1320	1370	1425	1465	1525	25,00	2,184	4,86
KZ 10-170	1700	795	660	845	1050	1200	1310	1410	1460	1520	1565	1625	27,00	2,278	5,18
KZ 10-180	1800	840	705	895	1115	1270	1395	1495	1550	1610	1660	1730	28,00	2,372	5,50
KZ 10-190	1900	890	745	950	1180	1345	1475	1585	1640	1705	1760	1830	30,00	2,466	5,82
KZ 10-200	2000	940	785	1000	1245	1420	1555	1670	1730	1800	1855	1930	32,00	2,560	6,14
KZ 10-210	2100	990	825	1050	1310	1495	1635	1755	1820	1895	1950	2030	33,00	2,654	6,46
KZ 10-220	2200	1040	865	1105	1375	1570	1715	1845	1910	1990	2050	2130	34,00	2,748	6,78
KZ 10-230	2300	1085	910	1155	1440	1640	1800	1930	2000	2080	2145	2235	36,00	2,842	7,10
KZ 10-240	2400	1135	950	1210	1505	1715	1880	2020	2090	2175	2245	2335	38,00	2,936	7,42
KZ 10-250	2500	1185	990	1260	1570	1790	1960	2105	2180	2270	2340	2435	40,00	3,030	7,74
KZ 10-260	2600	1235	1030	1310	1635	1865	2040	2190	2270	2365	2435	2535	41,00	3,124	8,06
KZ 10-270	2700	1285	1070	1365	1700	1940	2120	2280	2360	2460	2535	2635	43,00	3,218	8,38
KZ 10-280	2800	1330	1115	1415	1765	2010	2205	2365	2450	2550	2630	2740	44,00	3,312	8,70
KZ 10-290	2900	1380	1155	1470	1830	2085	2285	2455	2540	2645	2730	2840	46,00	3,406	9,02
KZ 10-300	3000	1430	1195	1520	1895	2160	2365	2540	2630	2740	2825	2940	48,00	3,500	9,34
KZ 10-310	3100	1480	1235	1570	1960	2235	2445	2625	2720	2835	2920	3040	49,00	3,594	9,66
KZ 10-320	3200	1530	1275	1625	2025	2310	2525	2715	2810	2930	3020	3140	51,00	3,688	9,98
KZ 10-330	3300	1575	1320	1675	2090	2380	2610	2800	2900	3020	3115	3245	52,00	3,782	10,30
KZ 10-340	3400	1625	1360	1730	2155	2455	2690	2890	2990	3115	3215	3345	54,00	3,876	10,62
KZ 10-350	3500	1675	1400	1780	2220	2530	2770	2975	3080	3210	3310	3445	56,00	3,970	10,94
KZ 10-360	3600	1725	1440	1830	2285	2605	2850	3060	3170	3305	3410	3545	57,00	4,064	11,26
KZ 10-370	3700	1775	1480	1885	2350	2680	2930	3150	3260	3400	3505	3645	59,00	4,158	11,58
KZ 10-380	3800	1820	1525	1935	2415	2750	3010	3235	3350	3490	3600	3750	60,00	4,252	11,90
KZ 10-390	3900	1870	1565	1990	2480	2825	3095	3325	3440	3585	3700	3850	62,00	4,346	12,22
KZ 10-400	4000	1920	1605	2040	2545	2900	3175	3410	3530	3680	3795	3950	64,00	4,440	12,54
KZ 10-410	4100	1970	1645	2090	2610	2975	3255	3495	3620	3775	3890	4050	65,00	4,534	12,86
KZ 10-420	4200	2020	1685	2145	2675	3050	3335	3585	3710	3870	3990	4150	67,00	4,628	13,18
KZ 10-430	4300	2065	1730	2195	2740	3120	3420	3670	3800	3960	4085	4255	68,00	4,722	13,50
KZ 10-440	4400	2115	1770	2250	2805	3195	3500	3760	3890	4055	4185	4355	70,00	4,816	13,82
KZ 10-450	4500	2165	1810	2300	2870	3270	3580	3845	3980	4150	4280	4455	72,00	4,910	14,14
KZ 10-460	4600	2215	1850	2350	2935	3345	3660	3930	4070	4245	4375	4555	73,00	5,004	14,46
KZ 10-470	4700	2265	1890	2405	3000	3420	3740	4020	4160	4340	4475	4655	75,00	5,098	14,78
KZ 10-480	4800	2310	1935	2455	3065	3490	3825	4105	4250	4430	4570	4760	76,00	5,192	15,10
KZ 10-490	4900	2360	1975	2510	3130	3565	3905	4195	4340	4525	4670	4860	78,00	5,286	15,42
KZ 10-500	5000	2410	2015	2560	3195	3640	3985	4280	4430	4620	4765	4960	80,00	5,380	15,74
För var 100 mm		49	41	52	65	74	81	87	90	94	97	101	1,60	0,094	0,32



AGA-KONVEKTORER


KZ 15

Varmförzinkad

Bredd 150 mm

 Δt 50°

Inbygg- nadsmått mm	H	200	250	300	400	500	600	700	800	900	1000	1200	Övriga data		
	F	—	—	90	100	100	100	110	110	110	110	110	Vikt kg	Volym lit.	Yta m²
	S	110	150	110	200	300	400	480	580	680	780	980			
	G	90	100	100	100	100	100	110	110	110	110	110			
Bereckning	Värmeavgivning kcal/h för vatten 80/60°, luft 20° C														
KZ 15- 50	500	315	340	300	365	425	470	510	540	555	570	590	12,50	1,740	2,04
KZ 15- 60	600	390	420	375	455	530	585	630	670	690	705	730	14,95	1,881	2,53
KZ 15- 70	700	470	505	445	540	630	695	755	800	820	845	875	17,00	2,022	3,02
KZ 15- 80	800	545	585	520	630	730	810	875	927	955	980	1015	19,00	2,163	3,51
KZ 15- 90	900	620	670	590	715	835	920	1000	1055	1085	1120	1160	22,00	2,304	4,00
KZ 15-100	1000	695	750	665	805	935	1035	1120	1185	1220	1255	1300	24,00	2,445	4,49
KZ 15-110	1100	770	830	740	895	1035	1150	1240	1315	1355	1390	1440	27,00	2,586	4,98
KZ 15-120	1200	850	915	810	980	1140	1260	1365	1445	1485	1530	1585	29,00	2,727	5,47
KZ 15-130	1300	925	995	885	1070	1240	1375	1485	1570	1620	1665	1725	32,00	2,868	5,96
KZ 15-140	1400	1000	1080	960	1155	1345	1485	1610	1700	1750	1805	1870	34,00	3,009	6,45
KZ 15-150	1500	1075	1160	1030	1245	1445	1600	1730	1830	1885	19 40	2010	37,00	3,150	6,94
KZ 15-160	1600	1150	1240	1105	1335	1545	1715	1850	1960	2020	2075	2150	39,00	3,291	7,43
KZ 15-170	1700	1230	1325	1175	1420	1650	1825	1975	2090	2150	2215	2295	41,00	3,432	7,92
KZ 15-180	1800	1305	1405	1250	1510	1750	1940	2095	2215	2285	2350	2435	44,00	3,573	8,41
KZ 15-190	1900	1380	1490	1320	1600	1855	2050	2220	2345	2415	2490	2580	46,00	3,714	8,90
KZ 15-200	2000	1455	1570	1395	1685	1955	2165	2340	2475	2550	2625	2720	49,00	3,855	9,39
KZ 15-210	2100	1530	1650	1470	1775	2055	2280	2460	2605	2685	2760	2860	51,00	3,996	9,88
KZ 15-220	2200	1610	1735	1540	1860	2160	2390	2585	2735	2815	2900	3005	54,00	4,137	10,37
KZ 15-230	2300	1685	1815	1615	1950	2260	2505	2705	2860	2950	3035	3145	56,00	4,278	10,86
KZ 15-240	2400	1760	1900	1690	2040	2365	2615	2830	2990	3080	3175	3290	59,00	4,419	11,35
KZ 15-250	2500	1835	1980	1760	2125	2465	2730	2950	3120	3215	3310	3430	61,00	4,560	11,84
KZ 15-260	2600	1910	2060	1835	2215	2565	2845	3070	3250	3350	3445	3570	63,00	4,701	12,33
KZ 15-270	2700	1990	2145	1905	2300	2670	2955	3195	3380	3480	3585	3715	66,00	4,842	12,82
KZ 15-280	2800	2065	2225	1980	2390	2770	3070	3315	3505	3615	3720	3855	68,00	4,983	13,31
KZ 15-290	2900	2140	2310	2050	2480	2875	3180	3440	3635	3745	3860	4000	71,00	5,124	13,80
KZ 15-300	3000	2215	2390	2125	2565	2975	3295	3560	3765	3880	3995	4140	73,00	5,265	14,29
KZ 15-310	3100	2290	2470	2200	2655	3075	3410	3680	3895	4015	4130	4280	76,00	5,406	14,78
KZ 15-320	3200	2370	2555	2270	2740	3180	3520	3805	4025	4145	4270	4425	78,00	5,547	15,27
KZ 15-330	3300	2445	2635	2345	2830	3280	3635	3925	4150	4280	4405	4565	81,00	5,688	15,76
KZ 15-340	3400	2520	2720	2420	2930	3385	3745	4050	4280	4410	4545	4710	83,00	5,829	16,25
KZ 15-350	3500	2595	2800	2490	3005	3485	3860	4170	4410	4545	4680	4850	86,00	5,970	16,74
KZ 15-360	3600	2670	2880	2565	3095	3585	3975	4290	4540	4680	4815	4990	88,00	6,111	17,23
KZ 15-370	3700	2750	2965	2635	3180	3690	4085	4415	4670	4810	4955	5135	90,00	6,252	17,72
KZ 15-380	3800	2825	3045	2710	3270	3790	4200	4535	4795	4945	5090	5275	93,00	6,393	18,21
KZ 15-390	3900	2900	3130	2790	3360	3895	4310	4660	4925	5075	5230	5420	95,00	6,534	18,70
KZ 15-400	4000	2975	3210	2855	3445	3995	4425	4780	5055	5210	5365	5560	98,00	6,675	19,19
KZ 15-410	4100	3050	3290	2930	3535	4095	4540	4900	5185	5345	5500	5700	100,00	6,816	19,68
KZ 15-420	4200	3130	3375	3000	3620	4200	4650	5025	5315	5475	5640	5845	103,00	6,957	20,17
KZ 15-430	4300	3205	3455	3075	3710	4300	4765	5145	5440	5610	5775	5985	105,00	7,098	20,66
KZ 15-440	4000	3280	3540	3150	3800	4405	4875	5270	5570	5740	5915	6130	108,00	7,239	21,15
KZ 15-450	4500	3355	3620	3220	3885	4505	4990	5390	5700	5875	6050	6270	110,00	7,380	21,64
KZ 15-460	4600	3430	3700	3295	3975	4605	5105	5510	5830	6010	6185	6410	112,00	7,521	22,13
KZ 15-470	4700	3510	3785	3365	4060	4710	5215	5635	5960	6140	6325	6555	115,00	7,662	22,62
KZ 15-480	4800	3585	3865	3440	4150	4811	5330	5755	6090	6275	6460	6695	117,00	7,803	23,11
KZ 15-490	4900	3660	3950	3510	4240	4915	5440	5880	6215	6410	6600	6840	120,00	7,944	23,60
KZ 15-500	5000	3735	4030	3585	4325	5015	5555	6000	6345	6540	6735	6980	122,00	8,085	24,09
För var 100 mm		76	82	73	88	102	113	122	129	133	137	142	2,45	0,141	0,49



AGA-KONVEKTORER



KZ 20

Varmförzinkad

Bredd 200 mm

 Δt 50°

Inbygg- nadsmått mm	H	200	250	300	400	500	600	700	800	900	1000	1200	Övriga data		
	F	—	—	90	110	120	120	130	130	130	130	130	Vikt kg	Volym lit.	Yta m²
	S	110	140	110	180	260	360	440	540	640	740	940			
	G	90	110	100	110	120	120	130	130	130	130	130			
Bereckning	L	Varmedavgivning-kcal/h för vatten 80/60°; luft 20° C													
KZ 20- 50	500	380	425	370	460	535	600	645	685	705	725	760	16,00	2,340	2,66
KZ 20- 60	600	470	525	460	570	665	745	800	845	875	900	945	19,00	2,528	3,30
KZ 20- 70	700	565	630	550	680	795	890	955	1010	1045	1075	1125	22,00	2,716	3,94
KZ 20- 80	800	655	730	635	795	920	1030	1110	1170	1210	1255	1310	25,00	2,904	4,58
KZ 20- 90	900	750	835	725	905	1050	1175	1265	1335	1380	1430	1490	28,00	3,092	5,22
KZ 20-100	1000	840	935	815	1015	1180	1320	1420	1495	1550	1605	1675	32,00	3,280	5,86
KZ 20-110	1100	930	1035	905	1125	1310	1465	1575	1655	1720	1780	1860	35,00	3,468	6,50
KZ 20-120	1200	1025	1140	995	1235	1440	1610	1730	1820	1890	1955	2040	38,00	3,656	7,14
KZ 20-130	1300	1115	1240	1080	1350	1565	1750	1885	1980	2055	2135	2225	41,00	3,844	7,78
KZ 20-140	1400	1210	1345	1170	1460	1695	1895	2040	2145	2225	2310	2405	44,00	4,032	8,42
KZ 20-150	1500	1300	1445	1260	1570	1825	2040	2195	2305	2395	2485	2590	48,00	4,220	9,06
KZ 20-160	1600	1390	1545	1350	1680	1955	2185	2350	2465	2565	2660	2775	51,00	4,408	9,70
KZ 20-170	1700	1485	1650	1440	1790	2085	2328	2505	2630	2735	2835	2955	54,00	4,596	10,34
KZ 20-180	1800	1575	1750	1525	1905	2210	2470	2660	2790	2900	3015	3140	57,00	4,784	10,98
KZ 20-190	1900	1670	1855	1615	2015	2340	2615	2815	2955	3070	3190	3320	60,00	4,972	11,62
KZ 20-200	2000	1760	1955	1705	2125	2470	2760	2970	3115	3240	3365	3505	64,00	5,160	12,26
KZ 20-210	2100	1850	2055	1795	2235	2600	2905	3125	3275	3410	3540	3690	67,00	5,348	12,90
KZ 20-220	2200	1945	2160	1885	2345	2730	3050	3280	3440	3580	3715	3870	70,00	5,536	13,54
KZ 20-230	2300	2035	2260	1970	2460	2855	3190	3435	3600	3745	3895	4055	73,00	5,724	14,18
KZ 20-240	2400	2130	2365	2060	2570	2985	3335	3590	3765	3915	4070	4235	76,00	5,912	14,82
KZ 20-250	2500	2220	2465	2150	2680	3115	3480	3745	3925	4085	4245	4420	80,00	6,100	15,46
KZ 20-260	2600	2310	2565	2240	2790	3245	3625	3900	4085	4255	4420	4605	83,00	6,288	16,10
KZ 20-270	2700	2405	2670	2330	2900	3375	3770	4055	4250	4425	4595	4785	86,00	6,476	16,74
KZ 20-280	2800	2495	2770	2415	3015	3500	3910	4210	4410	4590	4775	4970	89,00	6,664	17,38
KZ 20-290	2900	2590	2875	2505	3125	3630	4055	4365	4575	4760	4950	5150	92,00	6,852	18,02
KZ 20-300	3000	2680	2975	2595	3235	3760	4200	4520	4735	4930	5125	5335	96,00	7,040	18,66
KZ 20-310	3100	2770	3075	2685	3345	3890	4345	4675	4895	5100	5300	5520	99,00	7,228	19,30
KZ 20-320	3200	2865	3180	2775	3455	4020	4490	4830	5060	5270	5475	5700	102,00	7,416	19,94
KZ 20-330	3300	2955	3280	2860	3570	4145	4630	4985	5220	5435	5655	5885	105,00	7,604	20,58
KZ 20-340	3400	3050	3385	2950	3680	4275	4775	5140	5385	5605	5830	6065	108,00	7,792	21,22
KZ 20-350	3500	3140	3485	3040	3790	4405	4920	5295	5545	5775	6005	6250	112,00	7,980	21,86
KZ 20-360	3600	3230	3585	3130	3900	4535	5065	5450	5705	5945	6180	6435	115,00	8,168	22,50
KZ 20-370	3700	3325	3690	3220	4010	4665	5210	5605	5870	6115	6355	6615	118,00	8,356	23,14
KZ 20-380	3800	3415	3790	3305	4125	4790	5350	5760	6030	6280	6535	6800	121,00	8,544	23,78
KZ 20-390	3900	3510	3895	3395	4235	4920	5495	5915	6195	6450	6710	6980	124,00	8,732	24,42
KZ 20-400	4000	3600	3995	3485	4345	5050	5640	6070	6355	6620	6885	7165	128,00	8,920	25,06
KZ 20-410	4100	3690	4095	3575	4455	5180	5785	6225	6515	6790	7060	7350	131,00	9,108	25,70
KZ 20-420	4200	3785	4200	3665	4565	5310	5930	6380	6680	6960	7235	7530	134,00	9,296	26,34
KZ 20-430	4300	3875	4300	3750	4680	5435	6070	6535	6840	7125	7415	7715	137,00	9,484	26,98
KZ 20-440	4400	3970	4405	3840	4790	5565	6215	6690	7005	7295	7590	7895	140,00	9,672	27,62
KZ 20-450	4500	4060	4505	3930	4900	5695	6360	6845	7165	7465	7765	8080	144,00	9,860	28,26
KZ 20-460	4600	4150	4605	4020	5010	5825	6505	7000	7325	7635	7940	8265	147,00	10,048	28,90
KZ 20-470	4700	4245	4710	4110	5120	5955	6650	7155	7490	7805	8115	8445	150,00	10,236	29,54
KZ 20-480	4800	4335	4810	4195	5235	6080	6790	7310	7650	7970	8295	8630	153,00	10,424	30,18
KZ 20-490	4900	4430	4915	4285	5345	6210	6935	7465	7815	8140	8470	8810	156,00	10,612	30,82
KZ 20-500	5000	4520	5015	4375	5455	6340	7080	7620	7975	8310	8645	8995	160,00	10,800	31,46
För var 100 mm		92	102	89	111	129	144	155	162	169	176	183	3,20	0,188	0,64



AGA-KONVEKTORER


KZ 25

Varmförzinkad

Bredd 250 mm

 Δt 50°

Inbygg- nadsmått mm	H	200	250	300	400	500	600	700	800	900	1000	1200	Övriga data		
	F	—	—	90	120	140	140	150	150	150	150	150	Vikt kg	Volym lit.	Yta m²
	S	110	130	110	160	220	320	400	500	600	700	900			
	G	90	120	100	120	140	140	150	150	150	150	150			
Beteckning	L	Värmeavgivning kcal/h för vatten 80/60°; luft 20° C													
KZ 25- 50	500	470	505	430	540	630	710	770	820	850	880	920	20,00	2,910	3,36
KZ 25- 60	600	585	625	535	670	780	880	955	1015	1055	1090	1140	24,00	3,145	4,17
KZ 25- 70	700	695	750	635	800	930	1050	1140	1215	1260	1300	1365	28,00	3,380	4,98
KZ 25- 80	800	810	870	740	930	1085	1220	1330	1410	1465	1515	1585	32,00	3,615	5,79
KZ 25- 90	900	920	995	840	1060	1235	1390	1515	1610	1670	1725	1810	36,00	3,850	6,60
KZ 25-100	1000	1035	1115	945	1190	1385	1560	1700	1805	1875	1935	2030	40,00	4,085	7,41
KZ 25-110	1100	1150	1235	1050	1320	1535	1730	1885	2000	2080	2145	2250	44,00	4,320	8,22
KZ 25-120	1200	1260	1360	1150	1450	1685	1900	2070	2200	2285	2355	2475	48,00	4,555	9,03
KZ 25-130	1300	1375	1480	1255	1580	1840	2070	2260	2395	2490	2570	2695	52,00	4,790	9,84
KZ 25-140	1400	1485	1605	1355	1710	1990	2240	2445	2595	2695	2780	2920	56,00	5,025	10,65
KZ 25-150	1500	1600	1725	1460	1840	2140	2410	2630	2790	2900	2990	3140	61,00	5,260	11,46
KZ 25-160	1600	1715	1845	1565	1970	2290	2580	2815	2990	3105	3200	3360	65,00	5,495	12,27
KZ 25-170	1700	1825	1970	1665	2100	2440	2750	3000	3185	3310	3410	3585	69,00	5,730	13,08
KZ 25-180	1800	1940	2090	1770	2230	2595	2920	3190	3380	3515	3625	3805	73,00	5,965	13,89
KZ 25-190	1900	2050	2215	1870	2360	2745	3090	3375	3580	3720	3835	4030	77,00	6,200	14,70
KZ 25-200	2000	2165	2335	1975	2490	2895	3260	3560	3775	3925	4045	4250	81,00	6,435	15,51
KZ 25-210	2100	2280	2455	2080	2620	3045	3430	3745	3970	4130	4255	4470	85,00	6,670	16,32
KZ 25-220	2200	2390	2580	2180	2750	3195	3600	3930	4170	4335	4465	4695	89,00	6,905	17,13
KZ 25-230	2300	2505	2700	2285	2880	3350	3770	4120	4365	4540	4680	4915	93,00	7,140	17,94
KZ 25-240	2400	2615	2825	2385	3010	3500	3940	4305	4565	4745	4890	5140	97,00	7,375	18,75
KZ 25-250	2500	2730	2945	2490	3140	3650	4110	4490	4760	4950	5100	5360	101,00	7,610	19,56
KZ 25-260	2600	2845	3065	2595	3270	3800	4280	4675	4955	5155	5310	5580	106,00	7,845	20,37
KZ 25-270	2700	2955	3190	2695	3400	3950	4450	4860	5155	5360	5520	5805	110,00	8,080	21,18
KZ 25-280	2800	3070	3310	2800	3530	4105	4620	5050	5350	5565	5735	6025	118,00	8,315	21,99
KZ 25-290	2900	3180	3435	2900	3660	4255	4790	5235	5550	5770	5945	6250	122,00	8,550	22,80
KZ 25-300	3000	3295	3555	3005	3790	4405	4960	5420	5745	5975	6155	6470	126,00	8,785	23,61
KZ 25-310	3100	3410	3675	3110	3920	4555	5130	5605	5940	6180	6365	6690	130,00	9,020	24,42
KZ 25-320	3200	3520	3800	3210	4050	4705	5300	5790	6140	6385	6575	6915	134,00	9,255	25,23
KZ 25-330	3300	3635	3920	3315	4180	4860	5470	5980	6335	6590	6790	7135	138,00	9,490	26,04
KZ 25-340	3400	3745	4045	3415	4310	5010	5640	6165	6535	6795	7000	7360	142,00	9,725	26,85
KZ 25-350	3500	3860	4165	3520	4440	5160	5810	6350	6730	7000	7210	7580	146,00	9,960	27,66
KZ 25-360	3600	3975	4285	3625	4570	5310	5980	6535	6925	7205	7420	7800	150,00	10,195	28,47
KZ 25-370	3700	4085	4410	3725	4700	5460	6150	6720	7125	7410	7630	8025	154,00	10,430	29,28
KZ 25-380	3800	4200	4530	3830	4830	5615	6320	6910	7320	7615	7845	8245	158,00	10,665	30,09
KZ 25-390	3900	4310	4655	3930	4960	5765	6490	7095	7520	7820	8055	8470	162,00	10,900	30,90
KZ 25-400	4000	4425	4775	4035	5090	5915	6660	7280	7715	8025	8265	8690	166,00	11,135	31,71
KZ 25-410	4100	4540	4895	4140	5220	6065	6830	7465	7910	8230	8475	8910	170,00	11,370	32,52
KZ 25-420	4200	4650	5020	4240	5350	6215	7000	7650	8110	8435	8685	9135	174,00	11,605	33,33
KZ 25-430	4300	4765	5140	4345	5480	6370	7170	7840	8305	8640	8900	9355	178,00	11,840	34,14
KZ 25-440	4400	4875	5265	4445	5610	6520	7340	8025	8505	8845	9110	9580	182,00	12,075	34,95
KZ 25-450	4500	4990	5385	4550	5740	6670	7510	8210	8700	9050	9320	9800	187,00	12,310	35,76
KZ 25-460	4600	5105	5505	4655	5870	6820	7680	8395	8895	9255	9530	10020	191,00	12,545	36,57
KZ 25-470	4700	5215	5630	4755	6000	6970	7850	8580	9095	9460	9740	10245	195,00	12,780	37,38
KZ 25-480	4800	5330	5750	4860	6130	7125	8020	8770	9290	9665	9955	10465	199,00	13,015	38,19
KZ 25-490	4900	5440	5875	4960	6260	7275	8190	8955	9490	9870	10165	10690	203,00	13,250	39,00
KZ 25-500	5000	5555	5995	5065	6390	7425	8360	9140	9685	10075	10375	10910	207,00	13,485	39,81
För var 100 mm	113	122	103	130	151	170	186	197	205	211	222	222	4,05	0,235	0,81



AGA-KONVEKTORER

KZ 30

Varmförzinkad

Bredd 300 mm

 Δt 50°

Inbygg- nadsmått mm	H	200	250	300	400	500	600	700	800	900	1000	1200	Övriga data		
	F	—	—	90	130	160	160	170	170	170	170	170	Vikt kg	Volym lit.	Yta m²
	S	110	120	110	140	180	280	360	460	560	660	860			
	G	90	130	100	130	160	160	170	170	170	170	170			
Beteckning	L	Värmeavgivning kcal/h för vatten 80/60°, luft 20° C													
KZ 30- 50	500	485	585	470	620	725	820	895	950	990	1025	1075	24,00	3,500	3,98
KZ 30- 60	600	600	725	585	770	990	1015	1110	1180	1230	1270	1335	28,00	3,782	4,94
KZ 30- 70	700	720	865	695	915	1075	1215	1325	1410	1470	1515	1595	33,00	4,064	5,90
KZ 30- 80	800	835	1005	810	1065	1245	1410	1540	1635	1705	1765	1855	38,00	4,346	6,86
KZ 30- 90	900	955	1145	920	1210	1420	1610	1755	1865	1945	2010	2115	43,00	4,628	7,82
KZ 30-100	1000	1070	1285	1035	1360	1595	1805	1970	2095	2185	2255	2375	48,00	4,910	8,78
KZ 30-110	1100	1185	1425	1150	1510	1770	2000	2185	2325	2425	2500	2635	52,00	5,192	9,74
KZ 30-120	1200	1305	1565	1260	1655	1945	2200	2400	2555	2665	2745	2895	57,00	5,474	10,70
KZ 30-130	1300	1420	1705	1375	1805	2115	2395	2615	2780	2900	2995	3155	62,00	5,756	11,66
KZ 30-140	1400	1540	1845	1485	1950	2290	2595	2830	3010	3140	3240	3415	67,00	6,038	12,62
KZ 30-150	1500	1655	1985	1600	2100	2465	2790	3045	3240	3380	3485	3675	72,00	6,320	13,58
KZ 30-160	1600	1770	2125	1715	2250	2640	2985	3260	3470	3620	3730	3935	76,00	6,602	14,54
KZ 30-170	1700	1890	2265	1825	2395	2815	3185	3475	3700	3860	3975	4195	81,00	6,884	15,50
KZ 30-180	1800	2005	2405	1940	2545	2985	3380	3690	3925	4095	4225	4455	86,00	7,166	16,46
KZ 30-190	1900	2125	2545	2050	2690	3160	3580	3905	4155	4335	4470	4715	91,00	7,448	17,42
KZ 30-200	2000	2240	2685	2165	2840	3335	3775	4120	4385	4575	4715	4975	96,00	7,730	18,38
KZ 30-210	2100	2355	2825	2280	2990	3510	3970	4335	4615	4815	4960	5235	100,00	8,012	19,34
KZ 30-220	2200	2475	2965	2390	3135	3685	4170	4550	4845	5055	5205	5495	105,00	8,294	20,30
KZ 30-230	2300	2590	3105	2505	3285	3855	4365	4765	5070	5290	5455	5755	110,00	8,576	21,26
KZ 30-240	2400	2710	3245	2615	3430	4030	4565	4980	5300	5530	5700	6015	115,00	8,858	22,22
KZ 30-250	2500	2825	3385	2730	3580	4205	4760	5195	5530	5770	5945	6275	120,00	9,140	23,18
KZ 30-260	2600	2940	3525	2845	3730	4380	4955	5410	5760	6010	6190	6535	124,00	9,422	24,14
KZ 30-270	2700	3060	3665	2955	3875	4555	5155	5625	5990	6250	6435	6795	129,00	9,704	25,10
KZ 30-280	2800	3175	3805	3070	4025	4725	5350	5840	6215	6485	6685	7055	134,00	9,986	26,06
KZ 30-290	2900	3295	3945	3180	4170	4900	5550	6055	6445	6725	6930	7315	139,00	10,268	27,02
KZ 30-300	3000	3410	4085	3295	4320	5075	5745	6270	6675	6965	7175	7575	144,00	10,550	27,98
KZ 30-310	3100	3525	4225	3410	4470	5250	5940	6485	6905	7205	7420	7835	148,00	10,832	28,94
KZ 30-320	3200	3645	4365	3520	4615	5425	6140	6700	7135	7445	7665	8095	153,00	11,114	29,90
KZ 30-330	3300	3760	4505	3635	4765	5595	6335	6915	7360	7680	7915	8355	158,00	11,396	30,86
KZ 30-340	3400	3880	4645	3745	4910	5770	6535	7130	7590	7920	8160	8615	163,00	11,678	31,82
KZ 30-350	3500	3995	4785	3860	5060	5945	6730	7345	7820	8160	8405	8875	168,00	11,960	32,78
KZ 30-360	3600	4110	4925	3975	5210	6120	6925	7560	8050	8400	8650	9135	172,00	12,242	33,74
KZ 30-370	3700	4230	5065	4085	5355	6295	7125	7775	8280	8640	8895	9395	177,00	12,524	34,70
KZ 30-380	3800	4345	5205	4200	5505	6465	7320	7990	8505	8875	9145	9655	182,00	12,806	35,66
KZ 30-390	3900	4465	5345	4310	5650	6640	7520	8205	8735	9115	9390	9915	187,00	13,088	36,62
KZ 30-400	4000	4580	5485	4425	5800	6815	7715	8420	8965	9355	9635	10175	192,00	13,370	37,58
KZ 30-410	4100	4695	5625	4540	5950	6990	7910	8635	9195	9595	9880	10435	196,00	13,652	38,54
KZ 30-420	4200	4815	5765	4650	6095	7165	8110	8850	9425	9835	10125	10695	201,00	13,934	39,50
KZ 30-430	4300	4930	5905	4765	6245	7335	8305	9065	9650	10070	10375	10955	206,00	14,216	40,46
KZ 30-440	4400	5050	6045	4875	6390	7510	8505	9280	9880	10310	10620	11215	211,00	14,498	41,42
KZ 30-450	4500	5165	6185	4990	6540	7685	8700	9495	10110	10550	10865	11475	216,00	14,780	42,38
KZ 30-460	4600	5280	6325	5105	6690	7860	8895	9710	10340	10790	11110	11735	220,00	15,062	43,34
KZ 30-470	4700	5400	6465	5215	6835	8035	9095	9925	10570	11030	11355	11995	225,00	15,344	44,30
KZ 30-480	4800	5515	6605	5330	6985	8205	9290	10140	10795	11265	11605	12255	230,00	15,626	45,26
KZ 30-490	4900	5635	6745	5440	7130	8380	9490	10355	11025	11505	11850	12515	235,00	15,908	46,22
KZ 30-500	5000	5750	6885	5555	7280	8555	9685	10570	11255	11745	12095	12775	240,00	16,190	47,18
För var 100 mm		117	140	113	148	174	197	215	229	239	246	260	4,80	0,282	0,96